
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices



62,73



SHRUBS, ROSES

AND FRUIT

Spring, 1913

CANCELING ALL PREVIOUS LISTS

О

WHOLESALE PRICES

ON QUANTITIES OF TEN TO ONE THOUSAND

SPECIAL:

SEE NOTES ON PAGES 20, 64 AND BACK

COVER

SUPERIOR FERTILIZERS

For the Lawn, Garden or Farm

PRICES NET F. O. B. SHIPPING POINT

CANADA UNLEACHED HARD-WOOD ASHES (ANDORRA BRAND)

Are a complete fertilizer, replenishing worn-out soils, and, for the lawn or pasture, are economical and valuable. For the lawn, they are easy to handle, produce no offensive odors, are not unsightly, and, quickly leaching into the soil, the chemical properties are at once available for plant food.

Our ashes are selected only from the hard-wood districts of Canada. are carefully screened, and put in convenient packages. Apply at the rate of 1,000 to 1,500 lbs. per acre for top-dressing, or 2,000 to 2,500

lbs, for new lawns.

50-lb.bag 100-lb.bag 200-lb.bbl. Ton (10 bbls.) Cars, 15 to 20 tons \$1 00 \$1 50 \$2 50 \$20 00 At special prices.

PREPARED LIME

Where soils, from constant applications of manure, are sour and need a fertilizer to sweeten them, lime is a valuable agent. It quickly need a fertilizer to sweeten them, time is a valuable agent. It quickly puts the soil in condition to assimilate plant-food. It frees the potash, phosphoric acid and nitrogen already in the soil, and turns the nitrogen into the rich nitrates valuable for plant use.

Our prepared lime is fresh from the kilns, clean, well burnt, thoroughly decarbonized and especially prepared, so that it will go three times as far as the lump lime generally used, and is fine enough to run through a drill. Use 500 lbs. per acre.

100-lb. bag Ton Cars, 12 to 25 tons \$12 00 \$1 25 \$10 per ton.

POTASH AND PREPARED LIME

Where potash is needed in addition to lime, this preparation will be found valuable. It contains 4% actual potash, equal to 8% of sulphate of potash, the prepared lime being used as a filler, and makes a valuable top-dresser for lawn, pasture, or grass lands. Apply at the rate of 500 lbs. per acre.

> Ton 100-lb. bag Cars, 12 to 25 tons \$1 50 \$14 00 \$12 00 per ton

PEAT

We have on hand a stock of carefully selected peat, suitable for potting or planting Rhododendrons and shrubs that need such soil. Sack of about 100 lbs., 75 cents. In sacks, \$13.50 per ton.

PURE GROUND BONE

A brand of excellent quality. Analysis on request. Ton 200-lb. bag Cars. 15 to 30 tons \$3 50 \$32 00 Special price.

Andorra Nurseries

CHESTNUT HILL, PHILADELPHIA, PA.

OUR NURSERIES are extensive, covering six hundred acres, of which over three hundred are planted with trees and shrubs. They are easy of access, as Chestnut Hill is the terminus of branches of the Pennsylvania and the Philadelphia & Reading railroads, and the Chestnut Hill (City Line) trolley runs from the stations to within three minutes' walk of the Nurseries.

QUALITY.—The trees and shrubs offered are grown in open, unsheltered ground, in a very exposed situation, which insures their hardiness, and on soil admirably adapted for forming robust plants having an abundance of roots. Special attention is called to the fact that our stock is grown a good distance apart in the rows, insuring heavier trees and shrubs than are generally offered.

SHIPPING SEASON opens about March 1 in the spring and August 15 in

the fall.

INSPECTION AND FUMIGATION.—Our stock is regularly inspected and certificate will be sent with each shipment. Stock will be fumigated when requested or when the State laws require it.

TERMS AND CONDITIONS

ORDERS .- All orders are accepted subject to the following terms and conditions. Write plainly and give explicit directions as to address and mode of shipment.

STOCK SELECTED by customers at the Nurseries will be charged ac-

cording to the value of the trees chosen.

QUANTITY.—Lots of 5 and 50 will be furnished at the 10 and 100 rates

PACKING .- All goods are thoroughly packed, thus avoiding risk, if de-

laved in transit. Packing charges are made at actual cost.

FORWARDING.—Shipments will be forwarded exactly as directed; but when without instructions, we will use our best judgment and forward by shortest and safest route. We recommend all herbaceous plants be shipped by express.

RISK.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good

CLAIMS for damage while in transit must be made to the delivering company. Have delivering agent note the damaged condition on the freight

bill and present your claim through him promptly.

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name, full count, up to grade, and in good condition when shipped. Any plant proving untrue to name will be replaced. Claims to receive consideration must be made within five days after receipt of goods. We give no guarantee of the life of stock.

TERMS CASH WITH OPPER propert to goods.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to

their responsibility.

Address all orders to

ANDORRA NURSERIES


WM. WARNER HARPER, Prop.

Local and Long Distance Telephone

CHESTNUT HILL, PHILADELPHIA, PA.

Telegraphic Address CHESTNUT HILL, PHILADELPHIA

Cable Address "ANDORRA." PHILADELPHIA



Nursery Entrance and Office.


EVERGREEN TREES

the second secon	
Each	10
ABIES balsamea. Balsam Fir. 3 to 4 ft	
4 to 5 ft	
5 to 7 ft	
Canadensis. See Tsuga Canadensis.	
concolor. White Fir. $2\frac{1}{2}$ to 3 ft	
$3\frac{1}{2}$ to 4 ft	
$\frac{4^2}{100}$ to $\frac{4^{\frac{1}{2}}}{100}$ ft	
$4\frac{1}{2}$ to 5^2 ft	
5 to 6 ft	
6 to 10 ft	
nobilis, var. glauca. Noble Silver Fir. 4 to 4½ ft 5 00	
$4\frac{1}{2}$ to 5 ft 6 00	
5 to 7 ft\$7.50 to 15 00	
Nordmanniana. Nordmann's Fir. 3 ft 3 50	
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$ 4 50	\$42 50
$3\frac{1}{2}$ to 4° ft	57 50
4 to $4\frac{1}{2}$ ft. Specimens $+$ 7 50	70 00
$4\frac{1}{2}$ to 5 ft. Specimens	85 00
5 to $5\frac{1}{2}$ ft. Specimens	200 800
6 to 12 ft. Fine specimens. Prices on application.	
pectinata. European Silver Fir.	
6 to 7 ft	
7 to 8 ft	
8 to 10 ft 7 50	
BIOTA orientalis. Oriental Arborvitæ. 5 to 6 ft 3 00	27 50
6 to 7 ft 4 00	37 50
6 to 7 ft. Very heavy 6 00	55 00
7 to 9 ft 7 50	65 00
8 to 10 ft. Very broad and heavy\$8.50 to 12 50	
A STATE OF THE PROPERTY OF THE	

Each	10
BIOTA orientalis, var. aurea nana. 15 to 18 in\$1 75	\$15 00
18 to 20 in	17 50
20 to 24 in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
orientalis, var. aurea pyramidalis.	34 30
3 to 4 ft	
4 to 5 ft	
orientalis, var. compacta. Compact Chinese Arbor-	
vitæ. 3 to $3\frac{1}{2}$ ft	
$3\frac{1}{2}$ to 4 ft	35 00
4 to 5 ft	$\frac{45}{70} \frac{00}{00}$
5 to 6 ft	32 50
4 to $4\frac{1}{2}$ ft	37 50
5 to 6 ft	0. 00
6 to 7 ft	70 00
orientalis, var. elegantissima. Rollinson's Golden	
Arborvitæ. 3 to $3\frac{1}{2}$ ft $\frac{1}{2}$ $\frac{3}{4}$.00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	47 50
5 to 8 ft	
orientalis, var. filiformis; syn., Japonica. Thread-	
branched Arborvitæ. 3 to $3\frac{1}{2}$ ft 3 50	32 50
5 to $5\frac{1}{2}$ ft	
orientalis, var. semperaurescens. Ever-golden Arbor-	
vite. 4 to 5 ft	
CEDRUS Atlantica, var. glauca. Mt. Atlas Silver Cedar—	
$2\frac{1}{2}$ to 3 ft	27 50
5 to 6 ft	37 50
6 to 8 ft\$5 to 7 50	
8 to 10 ft\$10 to 15 00	
CEPHALOTAXUS Fortunei. Fortune's Yew. 4 to 4½ ft 3 50	
5 to 6 ft. Very broad and heavy 5 00 6 to 7 ft	
CRYPTOMERIA Japonica. 2½ to 3 ft	22 50
$\frac{3}{3} \text{ to } \frac{3}{3} \text{ ft}$	27 50
3 to 3½ ft	32 50
58 TO 4 II	37 50
5 to 6 ft	47 50
ILEX opaca. American Holly. 2½ to 3 ft	
3 to 4 ft. + \$3.50 to 5 00 4 to 5 ft. + \$7.50 to 10 00	
JUNIPERUS Canadensis. Spreading Canadian Juniper—	
12 to 15 in. spreadper 100, \$60 1 00	9 00
15 to 18 in. spread	12 50
18 to 24 in. spread	17 50
24 to 30 in. spread	32 50
Canadensis, var. aurea; syn., Douglasi. Douglas' Golden Juniper. 12 to 15 in. spread 1 00	8 50
15 to 18 in. spread	12 50
18 to 24 in. spread. Heavy 2 00	15 00

	Each	10
JUNIPERUS	Chinese Juniper. 3 ft\$2 00	\$17 50
	$3\frac{1}{2}$ to 4 ft	32 50
	$\frac{4^{1}}{2}$ to 5 ft	37 50
	5 to 6 ft 5 00	45 00
	6 to 8 ft	
	hardy variety. $2\frac{1}{2}$ to 3 ft	32 50
	$3\frac{1}{2}$ to 4 ft	42 50
	4 to $4\frac{1}{2}$ ft	47 50
	5 to 6 ft	
	7 to 8 ft. Specimens	
The last of the la	4 to 5 ft	
	5 to 6 ft	
	Chinensis, var. Pfitzeriana, 18 to 20 in 2 00	17 50
	22 10 24 111 2 30	20 00
	24 to 30 in	32 50
	Chinensis, var. femina Reevesii. 3 to $3\frac{1}{2}$ ft 3 00	27 50 47 50
	5 to 6 ft	41 90
	communis. Common Upright Juniper— 3 to 3½ ft	
	4½ to 5 ft	
	communis, var. oblonga. 6 to 8 ft\$5 to 7 50	
	communis, var. Suecica. Swedish Juniper—	
	$2\frac{1}{2}$ to 3 ft	15 00
	Fortunai C to 0 ft	
	Fortunei. 6 to 8 ft	
	1½ to 2 ft	13 50
	2 to $2\frac{1}{2}$ ft	22 50
	$2\frac{1}{2}$ to 3 ft	32 50
	$\frac{3}{2}$ to $\frac{31}{2}$ ft	45 50
	$3\frac{1}{2}$ to 4 ft	47, 50 55, 00
	$\frac{1}{5}$ to $\frac{12}{2}$ ft	55 00
	Japonica, var. nana aurea. Dwarf, 10 to 12 in.	
	x 15 to 18 in. broad	15 00
	recurva, var. squamata. Scaly-leaved —	10.00
	8 to 10 in. x 10 to 12 in. spread	13 50 17 50
	8 to 10 in. x 15 to 18 in. spread	11 90
	Sabina. Savin Juniper. 12 to 15 in 1 00	9 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50
	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 3 50$	32 50
	Sabina, var. aurea variegata. Savin's Golden Juniper. 1½ to 2 ft	
	Juniper. $1\frac{1}{2}$ to 2 ft	
	Sabina, var. tamariscifolia. 10 to 12 in. x 12 to	
	15 in. spread	10 00
	12 to 15 in. x 15 to 18 in. spread	15 00
	Virginiana. Red, or Virginia Cedar. 3 to 3½	
	ft. Nursery grown	22 50
	$3\frac{1}{2}$ to 4 ft. Nursery grown 3 50 $4\frac{1}{2}$ to 5 ft. Nursery grown 4 00	$\frac{32}{37} \frac{50}{50}$
	$4\frac{7}{2}$ to $\frac{5}{2}$ ft. Nursery grown + 4 00 5 to 6 ft. Nursery grown + 5 00 7 to 8 ft. Specimens + \$6 to 10 00	47 50
	7 to 8 ft. Specimens	The state of the s

PRICE LIST FOR SPRING OF 1913	
Each	10
JUNIPERUS Virginiana, alba spicta. +3 to 4 ft\$3 00	\$27 50
Viginiana, and Special 7. 9 to 1 to	
Virginiana, var. Cannartii. $2\frac{1}{2}$ to 3 ft 2 50	22 50
Virginiana, var. glauca. Blue Virginia Cedar—	
3 to $3\frac{1}{2}$ ft	27 50
4 to $4\frac{1}{2}$ ft	32 50
5 to 6 ft 5 00	47 50
7 to 8 ft	
Virginiana, var. Kosteri. Spreading—	
12 to 15 in + 1 50	13 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	17 50
2 to 21 ft 2 50	22 50
Virginiana, var. Leei elegantissima. Golden Vir-	00
virginiana, var. Leel elegantissima. Golden vir-	
ginian Cedar—	22 50
3 to $3\frac{1}{2}$ ft. Extra heavy	32 50
4½ to 5 ft. Extra heavy	54 50
5 to 7 ft. Extra heavy	
8 to 9 ft	00 -0
Virginiana, var. pendula. 3 to $3\frac{1}{2}$ ft	22 50
4 to $4\frac{1}{2}$ ft	32 50
5 to 6 ft 5 00	47 50
Virginiana, var. Schotti. 3 to $3\frac{1}{2}$ ft	22 50
4 to 5 ft	37 50
5 to 6 ft	47 50
7 to 8 ft	
	17 50
PICEA alba. White Spruce. $2\frac{1}{2}$ to 3 ft. 2 00 3 to $3\frac{1}{2}$ ft. 2 50	20 00
4 to 5 ft	30 00
5 to 6 ft	30 00
5 to 6 ft	
6 to 7 ft	
to 8 ft. very line specimens	
Alcockiana. Alcock's Spruce. $2\frac{1}{2}$ to 3 ft	
5 to 8 ft. Specimens\$4 to 15 00	
Engelmanni. Engelmann's Spruce—	
4 to 7 ft	
excelsa. Norway Spruce. 3 to 3\frac{1}{2} ft	12 50
$3\frac{1}{2}$ to 4 ft 200	17 50
4 to 4⅓ ft	27 50
5 to 6 ft. Specimens	45 00
5 to 6 ft. Specimens	60 00
9 to 12 ft	
excelsa, var. aurea. Golden Norway Spruce-	
2 to 2 ft + 2 50	
2 to $2\frac{1}{2}$ ft	
5 to 6 ft	
7 to 9 ft	
eniontelia Fintana Carra 9 4 91 64	22 50
Orientalis. Eastern Spruce. 2 to 2½ It	32 50
orientalis. Eastern Spruce. 2 to $2\frac{1}{2}$ ft	45 00
5½ t0 4 It. Specimens	45 00
45 to 5 it. Specimens	
6 to 9 ft. Specimens+\$10 to 25 00	00 =
pinsapo. Spanish Fir. 3½ to 4 ft 3 50 4 to 5 ft	32 50
4 to 5 ft	
polita. Tiger's Tail Spruce. $2\frac{1}{2}$ ft	22 50
$2\frac{1}{2}$ to 3 ft	32 50
9 to 12 ft	



	The first state of the state of	
	Each	10
PICEA	pungens. Colorado Spruce. 4 to 5 ft	\$45 00
	5 to 6 ft	
	7 to 10 ft	
	pungens, var. glauca. Blue Colorado Spruce-	
	$2\frac{1}{2}$ to 3 ft. Selected color	32 50
	3 to $3\frac{1}{2}$ ft. Selected color	
	$3\frac{1}{2}$ to 4 ft. Selected color	
	5 to 10 ft. Selected color	
	pungens, var. Kosteriana. Koster's Blue Colorado	
	Spruce. 1½ to 2 ft	22 50
	2 to $2\frac{1}{2}$ ft 350	32 50
	$2\frac{1}{2}$ to 3^2 ft. Specimens	02 00
	$\frac{2}{3}$ to $\frac{3}{2}$ ft. Specimens	
	$3\frac{1}{2}$ to 4 ft. Specimens	
	4 to 5 ft. Specimens	
	6 to 10 ft. Grand specimens	
	pungens, var. pendula. Weeping Blue Colorado Spruce—	
	3 to 4 ft. Specimens	
	4 to $4\frac{1}{2}$ ft. Specimens	
DINIIC	Austriaca. Austrian Pine. 2 to $2\frac{1}{2}$ ft	13 50
1 11403	Austriaea. Austrian Fine. 2 to $2\frac{1}{2}$ to 3 ft	22 50
	$\frac{2\frac{1}{2}}{3\frac{1}{2}}$ to 4 ft	$\frac{5}{32}$ 50
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	37 50
	$4 \frac{1}{2} $	47 50
	12 to 5 It. Yely Heavy	
	Cembra. Swiss Stone Pine. 2 to $2\frac{1}{2}$ ft	22 50
	$2\frac{1}{2}$ to 3 ft	27 50
	3^{2} to $3\frac{1}{2}$ ft	32 50
	$3\frac{1}{2}$ to 4 ft	37 50
	4 to 4½ ft 5 00	47 50
	\$ 40 7 ft	

TRICE LIST TOK STRING OF 1913		9
	Each	10
PINUS excelsa. Bhotan Pine. 2½ to 3 ft		\$22 50
3 to $4\frac{1}{2}$ ft		27 50
6 to 7" ft	5 00	47 50
6 to 7 ft	12 50	
Koraiensis. Corean Pine. 3 to $3\frac{1}{2}$ ft		27 50
Mughus. Dwarf Mountain Pine. 10 to 12 in		9 00
12 to 15 in	$\frac{1}{1} \frac{50}{50}$	12 50
15 to 18 in		17 50
18 in		1. 00
24 in	3 50	
ponderosa. Bull Pine. 5 to 6 ft	3 50	
7 to 10 ft	10 00	
rigida. Pitch Pine. 10 to 12 ft\$10 to		
	19 00	
Strobus. White Pine. 8 to 10 inper 100, \$20		0.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	75	6 00
$\frac{2}{21}$ to $\frac{21}{2}$ ft	$\frac{1}{1} \frac{00}{25}$	8 00
2½ to 3 it 7per 100, \$90	1 50	$\frac{10}{12} \frac{00}{50}$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{1}{2} \frac{30}{00}$	$\frac{12}{17} \frac{50}{50}$
$egin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{2}{2} \frac{50}{50}$	20 00
$\underbrace{\begin{array}{ccccccccccccccccccccccccccccccccccc$	$\frac{2}{3} \frac{50}{50}$	$\frac{20}{27} \frac{00}{50}$
5 to 6 ft	4 00	$\frac{5}{32} \frac{30}{00}$
		45 00
6 to 7 ft	15 00	20 00
The finest and best rooted stock in this country.		
sylvestris. Scotch Pine. 3 to $3\frac{1}{2}$ ft	2 00	18 50
3½ to ½ ft	3 00	$\frac{10}{27} \frac{50}{50}$
4 to 5 ft	3 50	32 50
Tanyosho. Japanese Table Pine—	2 00	18 50
18 to 24 in	3 50	32 50
		02 00
PODOCARPUS Japonica. Japanese Yew. 15 to 18 in		
PSEUDOTSUGA Douglasi. Douglas' Spruce. $2\frac{1}{2}$ to 3 ft	2 00	18 50
3 to 3½ ft	2 50	22 50
5 to 6 ft\$4 to	5 00	
7 to 10 ft\$7.50 to	10 00	
RETINOSPORA ericoides. Heath-like Japan Cypress—		
15 to 18 in	75	6 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1 00	8 50
$\frac{2}{2}$ to $\frac{2}{2}$ ft	$\frac{1}{2} \frac{50}{00}$	13 50
$\frac{3}{21}$ to $\frac{3\frac{7}{2}}{4}$ ft	$\frac{2}{3} \frac{00}{00}$	$\begin{array}{ccc} 17 & 50 \\ 27 & 50 \end{array}$
$3\frac{1}{2}$ to 4 ft	5 00	21 30
filifera. Thread-branched Japan Cypress—		10 50
$\frac{1\frac{1}{2}}{2}$ to $\frac{2}{2}$ ft	1 50	13 50
$2^{\tilde{1}}_2$ to 3 ft	4 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$3\frac{1}{2}$ to 4 ft. Specimens	7 50	31 30
5 to 6 ft. Specimens+\$10 to 1	$\frac{1}{2} \frac{50}{50}$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00	
	-00	
filifera, var. aurea. Golden Thread-branched	1 50	13 50
Japan Cypress. 10 to 12 in	2 00	18 50
18 to 20 in	2 50	22 50


10	ANDORKA NURSERIES	
	Each	1.0
RETINOSPORA		\$32 50 35 00
	2½ ft	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 50 22 50 32 50 37 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 50
	obtusa, var. magnifica. 3 to $3\frac{1}{2}$ ft	
		10 00 22 50 27 50 37 50
	4 to 6 ft. Specimens	
	obtusa, var. nana aurea. Dwarf Golden Obtuse-leaved Japan Cypress—	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50 27 50 32 50
	pisifera. Pea-fruited Japan Cypress. $2\frac{1}{2}$ to 3 ft. 2 50 4 to 5 ft. 3 50 5 to $5\frac{1}{2}$ ft. 4 00 6 to 10 ft. Specimens 3 7.50 to 3 00	22 50 32 50 37 50
	pisifera, var. aurea. Golden Pea-fruited Japan Cypress. 2 to 2½ ft. 2 50 2½ to 3 ft. 3 00 3½ to 4½ ft. 3 50 4 to 4½ ft. 4 00 5 to 6 ft. Specimens \$5 to 7 50 5 7 to 14 ft. Specimens \$10 to 35 00 1 1 2 2 3 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3	17 50 22 50 27 50 32 50 37 50
	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	13 50 17 50 22 50 27 50 32 50 37 50

RETINOSPORA	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 10 \\ \$12 50 \\ 22 50 \\ 32 50 \end{array}$
	4 to 5 ft 4 00 5 to 7 ft	37 50
	plumosa, var. aurea. Golden Plume-like Japan Cypress—	
	1½ to 2 ft. Bushy	8 50 17 50 22 50 27 50 32 50 37 50
	are excellent, it stands shearing readily and its hardiness is unquestioned.	
	plumosa, var. flavescens. 12 to 15 in	8 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15 00
	squarrosa. Squarrose-leaved Japan Cypress— 2 to 2½ ft. 2 50 2½ to 3 ft. 3 00 3 to 3½ ft. 3 50 4 to 4½ ft. Specimens 5 00 4½ to 5 ft. Specimens \$6 to 7 50 6 to 14 ft. Heavy specimens \$10 to 75 00 This is excellent stock: exceptionally broad, bushy and low-branched.	22 50 27 50 30 00
SCIADOPITYS V	2½ to 3 ft + 5 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	72 50
21/2	English Yew. 2 to $2\frac{1}{2}$ ft 2 00 to 3 ft	
$egin{array}{c} & 3 \ 3_{rac{1}{2}} \ 4 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
baccata,	var. adpressa. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$
baccata	var. Dovastoni. Dovaston's Yew-	02 00
$2\frac{1}{2}$	to $\frac{21}{3}$ ft. $+$ 2 75 to 3 ft. $+$ 3 50	
3	to 4 ft	
	Yew. 5 to 7 ft. Specimens	
$3\frac{1}{2}$	var. elegantissima. Elegant English Yew— to 4 ft	

TAVIIO becomes amonto E. J. D. V. I. V.	Each	10
TAXUS baccata, var. erecta. Erect English Yew— 2 to $2\frac{1}{2}$ ft. 2 $\frac{1}{2}$ to 3 ft. .\$4		\$32 50
	$\begin{array}{cccc} & 3 & 50 \\ & 4 & 00 \\ & 6 & 00 \end{array}$	
baccata, var. fastigiata. Irish Yew. $2\frac{1}{2}$ ft. 3 ft. $3\frac{1}{2}$ ft. 4 to 5 ft. Specimens. 4 \$10 to	3 50 7 50 o 15 00	22 50 32 50 60 00
baccata, var. fastigiata aurea. Golden Irish Yew. 2 ft. $\frac{1}{2}$ ft. 3 / 2 to 4 ft. $\frac{1}{2}$ \$10 ft. 4 to 6 ft. $\frac{1}{2}$ \$10 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
baccata, var. gracilis pendula. 3 to 3½ ft	$\begin{array}{cccc} & 5 & 00 \\ 0 & 10 & 00 \\ 0 & 20 & 00 \end{array}$	
baccata, var. repandens. Spreading English Yew- 10 to 12 in	$\begin{array}{c} \cdot \cdot \cdot 1 & 50 \\ \cdot \cdot \cdot 2 & 00 \end{array}$	
baccata, var. Washingtoni aurea. Washington's Golde English Yew. $2\frac{1}{2}$ ft. + ** 3 to $3\frac{1}{2}$ ft. + ** ** $3\frac{1}{2}$ to 4 ft. + ** ** ** ** 4 to 5 ft. + ** <th> 3 50 to 7 50 o 10 00</th> <th></th>	3 50 to 7 50 o 10 00	
Canadensis (Canadian Yew). 15 to 18 in		., 17 50
Canadensis, var. aurea. Golden Canadian Yew- 2 to 2½ ft. *** 3 ft. *** 3½ to 5 ft. ***	3 50 to 7 50	32 50
cuspidata. Abrupt-leaved Japan Yew. 12 to 15 in $+$ $1\frac{1}{2}$ ft. $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$	$\begin{array}{c} \cdot \cdot \cdot 2 & 00 \\ \cdot \cdot \cdot 3 & 00 \end{array}$	13 50
cuspidata, var. brevifolia. 12 to 15 in	$\begin{array}{c} 2 & 50 \\ 3 & 50 \end{array}$	18 50
cuspidata, var. capitata. $1\frac{1}{2}$ ft	. 5 00	
THUJOPSIS borealis; syn., Cupressus Nutkænsis. Yellow of Sitka Cypress. 4 to $4\frac{1}{2}$ ft	$\begin{array}{c} \cdot & 5 & 00 \\ \cdot & 7 & 50 \end{array}$	45 00 70 00
borealis, var. latifolia glauca. Glaucous Sitter Cypress. $3\frac{1}{2}$ to 4 ft. 4 to $4\frac{1}{2}$ ft. Specimens 4 to 4 ft. Specimens 4 to 4 ft. Specimens 4 \$6 to 4 ft.	3 50	$\begin{array}{ccc} 32 & 50 \\ 45 & 00 \end{array}$

	FRICE LIST FOR STRING OF 1915	10
THUYA	occidentalis. American Arborvitæ— Each	10
	2 to 2½ ft	\$7 00
	$2\frac{1}{2}$ to 3 ft	8 50
	3 to 3† it 1 20	10 00
	$\frac{3_{\frac{1}{2}}}{4}$ to $\frac{4}{5}$ ft, $\frac{+}{2}$, per 100, \$100 1 50 4 to $\frac{4_{\frac{1}{2}}}{2}$ ft. Very heavy, per 100, \$175 2 00	$\begin{array}{ccc} 12 & 50 \\ 19 & 00 \end{array}$
	4 to $4\frac{1}{2}$ ft. Very heavy	$\frac{13}{22} \frac{50}{50}$
	5^2 to $5\frac{1}{2}$ ft. Very heavy	27 50
	$5\frac{1}{2}$ to 6^2 ft. Very heavy	$\frac{32}{37} \frac{50}{50}$
	6 to 7 ft. Very heavy 4 00	
	7 to 8 ft. Very heavy	47 50
	8 to 9 ft. Specimens	
	occidentalis, var. aurea. George Peabody's Arborvitæ— $2\frac{1}{2}$ to 3 ft	12 50
	3 to 3½ ft	20 00
	4 to 5 ft	32 50
	5 to 6 ft 4 00	37 50
	7 to 12 ft. Specimens	
	occidentalis, var. compacta (Compact Arborvitæ)-	40 50
	$2\frac{1}{2}$ to 3 ft	$\begin{array}{c} 16 & 50 \\ 22 & 50 \end{array}$
	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	18 50
	occidentalis, var. Douglasi. 2 to $2\frac{1}{2}$ ft	18 90
	8 to 9 ft	
	· · · · · · · · · · · · · · · · · · ·	
	occidentalis, var. globosa. Globe Arborvitæ—	17 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11 000
	occidentalis, var. Hoveyi. Hovey's Golden Arborvitæ-	
	2 ft	
	2½ ft. Very heavy	
	3 ft. Very heavy	
	occidentalis, var. plicata pyramidalis. 2 to $2\frac{1}{2}$ ft. $. \updownarrow 2$ 00	
	4 to 5 ft	
	occidentalis, var. pyramidalis. Pyramidal Arborvita-	
	6 to 8 ft	
	occidentalis, var. recurva nana. $2\frac{1}{2}$ to 3 ft. $+$ \$3.50 to 4 00 3 to $4\frac{1}{2}$ ft	
	occidentalis, var. Rosenthalis. 2 to $2\frac{1}{2}$ ft	
	3½ to 4 ft	
	occidentalis, var. Vervæneana. Vervæne's Arborvitæ-	
	3½ to 4 ft,	32 50
	$4\frac{1}{2}$ to 5 ft	37 50
	5 to 6 ft	$\frac{42}{57} \frac{50}{50}$
	6 to 7 ft. Heavy specimens + . 6 00 7 to 8 ft. Heavy specimens + . \$7,50 to 12 50	57 50
	9 to 10 ft. Heavy specimens\$15 to 20 00	
	occidentalis, var. Wareana. Siberian Arborvitæ—	
	2 to 2½ ft. Heavy	13 50
	$2\frac{1}{2}$ to 3 ft. Very bushy	22 50
	3 to 3½ ft. Very bushy	32 50
	4 ft. Very bushy	
	5 to 5½ ft. Very bushy	70 00
	5½ to 6 ft. Very bushy	

Each	10
THUYA occidentalis, var. Wareana aurea. $2\frac{1}{2}$ ft\$2 50	\$22 50
3 to $3\frac{1}{2}$ ft	28 00
$4\frac{1}{2}$ to 5 ft	37 50
5 to 6 ft\$5 to 7 50	0. 00
TSUGA Canadensis. Hemlock. $1\frac{1}{2}$ to 2 ft \bigstar per 100, \$50 75	. 6 00
1300A Danadensis. 11cm10Ck. 12 to 2 1t 7 per 100, 500 13	6 00
2 to $2\frac{1}{2}$ ft / \(\dagger \\text{per 100, \$65 1 00}	7 50
$2\frac{1}{2}$ to 3 ft. \downarrow per 100, \$100 1 50	12 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15 00
$3\frac{1}{2}$ to 4^2 ft.) GRAIVD ($+$ per 100, \$150 2 00	10 00
7per 100, \$150 2 00	TO 90
4 to $4\frac{1}{2}$ ft.) CTOOK (22 50
4 to 41 ft. 41 to 5, ft. STOCK (27 50
5 to $5\frac{1}{2}$ ft. \bigcirc 3 50	$\frac{1}{32} \frac{1}{50}$
$5\frac{1}{2}$ to 6^2 ft. \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	37 50
7 to 12 ft. Heavy specimens	
Canadensis, var. gracilis. $3\frac{1}{2}$ to 4 ft	
Canadensis, var. Sargenti pendula. Weeping Hemlock-	
3 to 4 ft. Specimens	
Caroliniana. Southern Hemlock.—	
4 to 6 ft. Specimens	
Hookeriana Alpine Hemlock 4 to 41 ft	





A Block of Box Bush and Evergreens.

EVERGREEN SHRUBS

ANDROMEDA Catesbæi. See Leucothoë.	Each	10
floribunda. 12 in. Broad and heavy	- \$1.50	\$13 50
12 to 15 in. Broad and heavy	1 75	16 00
15 to 18 in. Broad and heavy	$\frac{1}{2}$ $\frac{1}{00}$	18 50
Japonica. 12 to 15 in	$1 \tilde{2}$	10 00
15 to 18 in	150	12 50
18 to 20 in		18 50
24 to 30 in		10 00
AZALEA amœna. 12 to 15 in		8 50
15 to 18 in. Bushy		12 50
$1\frac{1}{2}$ ft. Bushy		17 50
$2\frac{1}{2}$ ft. Specimens		11 00
anœna, var. Hinondigiro. Bright carmine—	10 5 00	
10 to 12 in	1 00	7 50
12 to 15 in		13 50
15 to 18 in		18 50
18 to 20 in		$\frac{16}{22} \frac{50}{50}$
Indica alba. Pure white. 18 to 20 in	$\frac{2}{50}$	$\frac{22}{22} \frac{50}{50}$
20 to 22 in.		$\frac{27}{27} \frac{50}{50}$
20 to 22 in. 22 to 24 in.		37 50
BUXUS Japonica; syn., Fortunei Japanese Box-	+ 00	01 00
3½ to 4 ft.	5 00	
4 to 5 ft		
Japonica, var. aurea. Golden Japanese Box—	0 12 50	
12 to 15 in	1 00	9 00
15 to 18 in	1 50	12 50
11 ft CDECIAI	$\frac{1}{1}\frac{50}{75}$	15 00
15 to 18 in	$\frac{1}{2} \frac{19}{50}$	$\frac{13}{22} \frac{60}{50}$
$rac{2}{2rac{1}{2}}$ ft	2 50	$\frac{22}{32} \frac{50}{50}$
Japonica, var. rotundifolia. Round-leaved—	5 50	02 00
$2\frac{1}{2}$ to 3 ft. Very broad and bushy	7 50	
5 to 6 ft. Pyramids	0 10 00	

BUXUS Japonica, var. rotundifolia glauca. 1½ ft	
$\frac{3\frac{1}{2}}{3}$ to 4 ft	\$2 50
1 ft. Andorra-grownper 100, \$30 50 1 ft. Extra bushyper 100, \$40 75	4 00 6 00
$1\frac{1}{2}$ ft. Extra bushyper 100, \$80 1 25	10 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 16 & 50 \\ 27 & 50 \end{array}$
3 ft. Extra bushy. Specimens + 4 50	40 00
3 ft. Extra bushy. Specimens $$ 4 50 $$ 4 50 $$ Extra bushy. Specimens $$ 6 00 $$ 4 to $4\frac{1}{2}$ ft. Extra bushy. Specimens $$ 57.50 to 10 00	55 00
5 to $6\frac{1}{2}$ ft. Extra bushy	
sempervirens. Pyramids. Andorra-grown— $2\frac{1}{2}$ ft. Extra bushy. Specimens	30 00
3° ft. Extra bushy. Specimens 4 50 3° ft. Extra bushy. Specimens 6 00	40 00
4 to 4\frac{1}{2} ft. Extra bushy. Specimens	55, 00
4 to 4½ ft. Extra bushy. Specimens. \$7.50 to 10 00 5 5 to 7 ft. Extra bushy. Specimens. \$12.50 to 25 00	
sempervirens. "Globe-shaped"— 12 in. x 12 in	16 50
15 in. x 15 in	18 50
sempervirens. Standards. Andorra-grown— 1½ ft. stems, 10 to 12 in. heads	16 50
2° ft stems 12 to 15 in heads \rightarrow 2 00	18 50
2 ft. stems, 18 to 20 in. heads	37 50
2 ft, stems, 18 to 20 in, heads 4 00 2 ft, stems, 22 to 26 in, heads 5 to 7 50 2½ ft, stems, 26 to 28 in, heads	
sempervirens, var. angustiiona. 2 ft	16 5 0
sempervirens, var. arborescens. Tall Tree Box— 2 to $2\frac{1}{2}$ ft	22 50
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	47 50
sempervirens, var. argentea marginata. Silver-tipped	10.50
Box. $1\frac{1}{2}$ to 2 ft	$\begin{array}{c} 13 & 50 \\ 22 & 50 \end{array}$
sempervirens, var. Handsworthi. 3 to $3\frac{1}{2}$ ft	37 50
sempervirens, var. Handsworthi. 3 to $3\frac{1}{2}$ ft 4 00 4 to $4\frac{1}{2}$ ft 5 00 sempervirens, var. myrtifolia. Myrtle Leaf—	42 50
△ It, 1 10	16 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50
sempervirens, var. salicifolia. 2 ft	16 50
$2\frac{1}{2}$ ft	27 50
sempervirens, var. suffruticosa. Dwarf Box Edging— 3 to 4 in	75
4 to 5 in	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$
CHAMÆDAPHNE calyculata. Leather Leaf— 1½ to 2 ft per 100, \$60 1 00	0 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 8 & 50 \\ 12 & 50 \end{array}$
COTONEASTER buxifolia. 12 in	6 00
15 to 18 in	8 50 6 00
microphylla. 1 ft	6 00

PRICE LIST FOR SPRING OF 1913	17
Each	10
CRATÆGUS Pyracantha, var. Lelandi. Leland's Evergreen Thorn. 2 ft\$1 00	07 50
	\$7 50
DAPHNE Cneorum. 2-year 75	6 00
EUONYMUS radicans and variegata. See Trailing Plants.	
Japonica. Japan Euonymus. 1½ ft	
15 to 18 in	6 00
Japonica, var. aurea. Golden-leaved. 12 in 75	6 00
ILEX crenata. Japanese Holly. 1 ftper 100, \$60 1 00	8 50
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 12 & 50 \\ 22 & 50 \end{array}$
2½ ft	<u> </u>
crenata, var. buxifolia. Box-leaved-	
2½ ft Bushy	32 50
3 ft. Bushy + \$5 to 7 50 3½ to 4 ft. Specimens + \$8 to 10 00	
crenata, var. Fortunei. Fortune's Holly-	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
3 ft	
$3\frac{1}{2}$ to 5 ft	
crenata, var. latifolia. Broad-leaved Japanese Holly-	
crenata, var. latifolia. Broad-leaved Japanese Holly— 3 to 3½ ft.	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
crenata, var. microphylla. Small-leaved Japanese Holly-	
12 to 15 in. Bushy	8 50
12 to 15 in. Bushy	10 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} 15 & 00 \\ 22 & 50 \end{array}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	44 00
$\frac{3}{4}$ to $\frac{3\frac{1}{2}}{5\frac{1}{2}}$ ft. Heavy specimens	
KALMIA latifolia. Mountain Laurel—	
1½ ft. Heavy clumps	12 50
2 ft. Heavy clumps	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	28 50
3 to 3½ ft Heavy clumps	32 50
3½ to 4 ft. Heavy clumps	47 50
LAURELS. See Cerasus Laurocerasus.	
LEUCOTHOE Catesbæi. Drooping Andromeda—	0.70
12 to 15 in. Clumps	$\begin{array}{c} 8 & 50 \\ 12 & 50 \end{array}$
18 to 24 in Heavy clumps ner 100, \$125 2 00	15 00
2 ft. Extra heavy clumps	32 50
MAHONIA Aquifolium. Holly-leaved—	
18 to 24 in	9 00
24 to 30 in. Heavy	18 50
Japonica. Japanese Mahonia— 1½ to 2 ft	12 50
2 to 2½ ft	18 50
$\overline{2}_{\overline{2}}$ to $\overline{3}^2$ ft	32 50



Rhododendrons at Andorra.

RHODODENDRONS

HYBRID VARIETIES — ANDORRA-GROWN

Our fall offering of Rhododendrons consists of many thousand plants, in fifty varieties, and in a range of sizes from one to five feet. These are acclimated—Andorra-grown stock—in the hardiest varieties. They are grown in open, unsheltered ground, with northern exposure, and the windswept hills of Andorra are not kind to anything of a tender nature, so that you may depend upon Andorra-grown Rhododendrons being of the hardiest, and supplied with excellent balls of fibrous roots.

	Laci	10
RHODODENDRONS.	Catawbiense Hybrids Assorted. Our selec-	
	tion of varieties—	
	15 to 18 in	\$10 00
A	$1\frac{1}{2}$ to 2 ft \(\phi\). per 100, \(\\$125\) 1 50	13 50
	2^2 to $2\frac{1}{2}$ ft	17 50
N	A large stock of standard varieties,	
	fine, heavy plants, 3 to 5 ft.	
D	Abraham Lincoln. Rosy crimson—	
0	$1\frac{1}{2}$ to 2 ft	15 00
	Album elegans. White—	
R	$1\frac{1}{2}$ to 2 ft	15 00
	2^{2} to $2\frac{1}{2}$ ft	20 00
R	3 to 4 ft. Specimens\$3.50 to 10 00	
A	Album grandiflorum. White-	
î	$1\frac{1}{2}$ to 2 ft	15 00
<u> </u>	2^{-} to $2\frac{1}{2}$ ft	20 00
Ğ	Alex. Dancer. Light scarlet—	
R	$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots \dots 2 50$	-22 50
	Anna Parsons. Red. $1\frac{1}{2}$ to 2 ft 1.75	15 00
0	Atrosanguineum. Dark scarlet-	
_	2 to $2\frac{1}{2}$ ft	22 50
W	$1\frac{1}{2}$ to 2 ft	17.50
N	Blandyanum. Rosy crimson. $1\frac{1}{2}$ to 2 ft 1 75	15 00
1.4	2 to $2\frac{1}{2}$ ft	20 00
	$2\frac{1}{2}$ to 3 ft\$3.50 to 7 50	

ft.

to 4

Specimens.....\$5 to 15 00

	Each	10
ODODENDRONS,	Boule de Neige. White. 18 to 20 in\$\frac{2}{2} 00	$\begin{array}{r} \$18 & 50 \\ 22 & 50 \end{array}$
	20 to 24 in	$\frac{22}{32} \frac{50}{50}$
	$24 \text{ to } 28 \text{ in.} 350$ Candidissimum. White. $1\frac{1}{2} \text{ ft.} 175$	15 00
	$\frac{2}{2}$ ft. $\frac{1}{2}$ 100	17 50
	$2\frac{1}{2}$ to 3 ft\$3.50 to 7 50	1. 00
	Caractacus. Purplish crimson-	
	11 to 2 ft 1 75	15 00
	2 to $2\frac{1}{2}$ ft	20 00
	$2\frac{1}{2}$ to 3 ft. Specimens\$3.50 to 7 50 Charles Bagley. Bright red. $1\frac{1}{2}$ to 2 ft 2 00	17 50
	Charles Bagley. Bright red. $1\frac{1}{2}$ to 2 ft 2 00 2 to $2\frac{1}{2}$ ft 2 50	$\frac{17}{22} \frac{50}{50}$
	$2\frac{1}{2}$ to 3^2 ft\$3.50 to 7 50	
	Charles Dickens. Scarlet. $1\frac{1}{2}$ ft	17 50
	2 ft	22 50
A	2½ ft	22 50
•	C. S. Sargent. Crimson. 18 to 24 in 2 50 Delicatissimum. White. $1\frac{1}{2}$ to 2 ft 1 75	$\frac{22}{15} \frac{50}{00}$
N	2 ft	20 00
-	$\overline{2}_{\frac{1}{2}}$ ft	
D	Everestianum. Rosy lilac. 15 to 18 in., 1 75	15 00
A	18 to 20 in	20 00
O	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50
R	General Grant. Red. $1\frac{1}{2}$ ft	17 50
K	2 ft	$\frac{1}{22}$ 50
R	$2\frac{1}{2}$ ft	32 50
10	Giganteum. Rosy crimson. $1\frac{1}{2}$ to 2 ft $\frac{1}{2}$ 75	15 00
A	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 20 & 00 \\ 22 & 50 \end{array}$
	Herbert Parsons Tiles 18 in 1 75	15 00
	H. W. Sargent. Scarlet. 13 ft 2 00	17 50
G	2 ft 2 50	22 50
•	H. H. Hunnewell. Dark crimson. 18 in 2 00 2 ft	17 50
R	2 ft	22 50
	J. Marshall Brooks. Scarlet. $1\frac{1}{2}$ to 2 ft 1 75 John Spencer. Rose. 2 ft 1 50	$\frac{15}{13} \frac{00}{50}$
0	$\frac{21}{3}$ ft	$\frac{13}{17} \frac{.50}{50}$
***	3 ft	32 50
W	3 ft. 3 50 Kettledrum. Deep red. 18 in. 2 50 24 in. 3 00	22 50
RT.	24 in	27 50
N	19dV Armstrong Pala rose 14 to 2 tt 1 (2)	$\frac{15}{20} \frac{00}{00}$
	2 to $2\frac{1}{2}$ ft	20 00
	Lady Gray Egerton. Bluish white. 13 ft., 2 50	$\frac{50}{22}$ 50
	Lady Gray Egerton. Bluish white. $1\frac{1}{2}$ ft 2 50 Luciforum. Clear white. $1\frac{1}{2}$ to 2 ft 2 00	17 50
	2½ to 4 ft\$2.50 to 10 00	
	Mad. Carvalbo. White. 2 to $2\frac{1}{2}$ ft 2 25	20 00
	Mad. Masson. White. 2 ft	20 00
	Mrs. H. Ingersoll. Deep rose-lilac—	99 50
	18 in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	2 ft	15 00 15 00
	$2\frac{1}{2}$ ft	$\frac{13}{22} \frac{50}{50}$
**	Mrs. Milner. Crimson. $1\frac{1}{2}$ ft	15 00
	2 ft 2 00	17 50

	Each	10
RHODODENDRONS,	Old Port. Plum. $1\frac{1}{2}$ ft\$2 00	\$17 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50
	Parson's gloriosum. Blush. 2 ft 1 50	$\begin{array}{ccc} 12 & 50 \\ 27 & 50 \end{array}$
	$3\frac{1}{2}$ to 4 ft	21 30
	Parson's grandiflorum rubrum. Bright pink-	
	1½ ft 2 00	17 50
	2 ft	22 50
	$2\frac{1}{2}$ to 3 ft\$3.50 to 7 50	
A	President Lincoln. Crimson. $1\frac{1}{2}$ ft 2 00 2 ft	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$
	2 tt	22 50
N	purpureum crispum. Purple, crimped—	
	1½ ft 1 50	13 50
D	purpureum elegans. Purple. 1½ to 2 ft 2 00 2½ ft 3 50	17 50
	$2\frac{1}{2}$ ft	32 50
0	3 to 5 ft	
D	purpureum grandiflorum. Purple—	17 50
R	$2 \text{ to } 2\frac{1}{2} \text{ ft.}$	13 50
. D	2 ft 2 00	$\frac{13}{17} \frac{30}{50}$
R	$2\frac{1}{2}$ ft	32 50
A	3 to 5 ft Specimens \$7.50 to 25.00	
A .	roseum superbum. Clear rose. 2 ft. 2 00 $2^{\frac{1}{2}}$ ft. 3 50	17 50
1	2½ ft	32 50
	3 to $3\frac{1}{2}$ ft	22 50
G	2 ft	28 50
D	2 10 1,111111111111111111111111111111111	20 00
R	NATIVE VARIETIES—ANDORRA-GROWN	
0	Each	10
U	Catawhiense. $1\frac{1}{2}$ to 2 ftper 100, \$80\$1 25	\$10 00
W	2 ft	16 50
VV .	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00
N	3 to 5 ft. Specimens\$5 to 20 00	
**	maximum. Great Laurel—	17 50
	$\frac{2}{2^{1}}$ to $\frac{2^{\frac{1}{2}}}{2^{\frac{1}{2}}}$ ft. Nursery grown 2 00	17 50 25 00
	2½ to 3 ft. Nursery grown 3 50 3 to 3½ ft. Nursery grown 4 00 31 to 4 ft. Nursery grown 5 00	25 00 37 50
	3½ to 4 ft. Nursery grown 5 00	47 50
	3½ to 4 ft. Nursery grown 5 00 4 to 5 ft. Nursery grown 7 50	60 00
	maximum. Collected. Special Prices on carload lots. Sizes, 2 to 6 ft.	
	carload lots. Sizes, 2 to 6 ft.	
DIV	ADE VARIETIES ANDORDA CROWN	
DW	ARF VARIETIES—ANDORRA-GROWN	
BUODODENDOON	Each	10
MUDUODENDRUM	Hirsutum. 12 to 15 in	\$13 50 23 50
	myrtifolium 11 to 2 ft 2 50	$\frac{25}{20} \frac{50}{00}$
	Impricata 15 to 18 in 2 50 2	$\frac{17}{17} \frac{50}{50}$
	15 to 18 in 2 50	20 00
	punctatum. Dotted. 15 to 18 in	13 50
	18 to 24 in	20 00
VIICCA filamentosa	Adam's Needle 3-year 25	$\begin{array}{ccc} 13 & 50 \\ 2 & 00 \end{array}$
Heavy	. Adam's Needle. 3-year	2 00



Specimen Norway Maples in Wide Rows.

DECIDUOUS TREES

Measurements are given as follows: Height is taken before digging, from the surface of the ground to the top branches, where they round off to form the top; diameter of stem, or caliper, is taken 6 inches above the ground above the collar. Measurements are expressed thus: 10 to 12 ft. (height), $2\frac{3}{2}$ to $2\frac{3}{4}$ in (caliper).

Each	10	100
CER campestris. European Cork Maple—		
7 to 8 ft. Bushy\$1 50	\$12 50	
8 to 10 ft. Bushy 1 75	15 00	
colchicum, var. rubrum. Red Colchicum Maple—		
14 to 16 ft.; 3 to 6 in. cal. \$3.50 to 15 00		
dasycarpum. Silver Maple-		
8 to 10 ft 75	6 00	
10 to 12 ft.; 13 to 2 in	12 50	
4 to 10 in. Specimens\$7.50 to 40 00		
A rapid grower for immediate effects.		
dasycarpum, var, Wierii laciniatum. Wier's Cut-leaved Silver Maple—		
7 to 9 ft. Very Stocky	13 50	
Negundo. Ash-leaved Maple-		
10 to 12 ft.; 2 to $2\frac{1}{2}$ in. Bushy 1 50		
12 to 14 ft.; 3 to 4 in\$3.50 to 5 00		
Pennsylvanicum. 5 to 6 ft		

ACCD plotopoides	N Maril	Foob	10	100
12 to 14 12 to 14 12 to 16 14 to 16 14 to 16	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 50 .+. 4 00 .+. 4 50 .+. 6 00 .+. 7 50 10 to 20 00	10 \$9 00 13 50 16 50 18 50 22 50 30 00 37 50 42 50 50 00 60 00	100 \$85 00 115 00 140 00 165 00
	ft.; $5\frac{1}{2}$ to 7 in\$			
Mon	ar. purpurea. Schwedler's lole. 8 to 10 ft.; $1\frac{1}{2}$ in	1 75	15 00 22 50	
platanoides,	var. Reitenbachi. Reiten			
8 to 10 10 to 12	$\begin{array}{lll} \text{ple Maple} & \text{Maple} \\ \text{ft.} \; ; \; 2 \; \; \text{to} \; 2\frac{1}{4} \; \text{in.} & \dots \\ \text{ft.} \; ; \; 2\frac{1}{2} \; \; \text{to} \; 2\frac{3}{4} \; \; \text{in.} & \dots \end{array}$			
pseudo-platar 8 to 10 10 to 12 12 to 14 14 to 16	nus. European Sycamore M ft.; 1½ to 1¾ in. ft.; 2 to 2½ in. ft.; 2½ to 3 in.	Iaple—	12 50 17 50 22 50	
pseudo-platar	nus, var. purpurea. Purple			
8 to 10 10 to 12 12 to 16	$\begin{array}{llllllllllllllllllllllllllllllllllll$	2 00 2 50 50 to 35 00	17 50 22 50	
rubrum. Re	d or Scarlet Maple—		10.50	
10 to 12 12 to 14	$\begin{array}{c} {\rm ft.};1_{4}^{3}{ m to}2{ m in.}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12 50 17 50	
saceharinum. 10 to 12 10 to 12 10 to 14 12 to 14 12 to 14 12 to 14 14 to 16 14 to 16	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1 50 2 00 2 50 3 50 5 00 .\$5 to 7 50 10 to 50 00	12 50 17 50 22 50 32 50 45 00	100 00 150 00 200 00 275 00
spicatum. M	Iountain Maple. $2\frac{1}{2}$ to 3	ft 75	5 00	35 00
3 to 4 ft 4 to 5 ft 5 to 6 ft Most brill	ar. Ginnala. Tartarian Ma Bushy Bushy Bushy iant of the fall coloring berb for mass planting.	$egin{bmatrix} & 75 \\ & 1 & 00 \\ & 1 & 25 \end{bmatrix}$	6 50 9 00 10 00	35 00 50 00

JAPANESE MAPLE

JAI ANESE WAI LE		
Each	10	100
AOFD		
ACER polymorphum. 3 to 6 ft. Heavy. \$2.50 to \$5.00		
polymorphum, var. atropurpureum. Blood-		
1 leaved Japan Maple. $1\frac{1}{2}$ ft. $+$. 1 50 2 ft. $+$. 2 00	\$13 50	
2 ft	18 00	
$2\frac{1}{2}$ ft, 3 50	32 50	
3 to 5 ft. Specimens. Bushy and well		
$2\frac{1}{2}$ ft. $+$ 3 50 3 to 5 ft. Specimens. Bushy and well furnished		
polymorphum, var. atropurpureum dissectum.		
Weeping Cut-leaf Blood-leaved—		
	22 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	42 30	
Tall standards 4 to 5 ft standards		
Tall standards, 4 to 5 ft. stem		
and broad heads\$15 to 25 00		
polymorphum, var. atropurpureum nigrum—		
5 to 8 ft. Specimens\$20 to 35 00		
polymorphum, var. aureum. Golden Japan		
Maple $1\frac{1}{2}$ to 2 ft \Rightarrow 2 50.	22 50	
2 to 3 ft		
polymorphum, var. dissectum. Cut-leaf Weep-		
ing Japan Maple 11 ft . + 2 50	22 50	
ing Japan Maple. $1\frac{1}{2}$ ft 2 50 2 to $2\frac{1}{2}$ ft		
2½ to 3 ft by 2½ to 4 ft \$7.50 to 15.00		
nelymenthum accountifelium nuhuum		
polymorphum, var. scopendifolium rubrum. 3 to 5 ft\$3.50 to 15 00		
5 to 5 ft,\$5.50 to 15 00		
ÆSCULUS Hippocastanum. European Horse-chest- nut. 7 to 8 ft.; 2 in		
nut. 7 to 8 ft.; 2 in 1 75	15 00	\$135 00
8 to 10 ft.: 2½ in	$\frac{1}{22} \frac{1}{50}$	200 00
8 to 10 ft.; 2½ in 2 50 10 to 16 ft.; 3 to 7 in \$5 to 35 00	00	_00 00
Hippocastanum, var. alba flore pleno.		
Double White-flowered Horse-Chest-		
nut & to 0 ft . 13 to 2 in 2 00	19 50	175 00
0 to 10 ft · 91 in 2 m · 2 00	95 00	$\frac{115}{225} \frac{00}{00}$
nut. $8 \text{ to } 9 \text{ ft.}; 1\frac{3}{4} \text{ to } 2 \text{ in} 2 \text{ 00}$ $9 \text{ to } 10 \text{ ft.}; 2\frac{1}{2} \text{ in} 2 \text{ 75}$ $11 \text{ to } 12 \text{ ft.}; 3 \text{ to } 6 \text{ in} \$5 \text{ to } 25 \text{ 00}$	25 00	225 00
Hippocastanum, var. Bujotii—		
10 to 12 ft.; 3 to $3\frac{1}{2}$ in \bigstar \$5 to 7 50		
Hinnocostanum muhicunda D 1		
Hippocastanum, var. rubicunda. Red-		
flowered Horse-chestnut—	07 50	
$\frac{10}{10}$ It.; $2\frac{1}{4}$ IO $2\frac{1}{2}$ In	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 30	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
AlLANTHUS glandulosa. Tree of Heaven—		
8 to 10 ft; $1\frac{1}{2}$ to 2 in 1 00	8 50	50 00
8 to 10 ft; $1\frac{1}{2}$ to 2 in 1 00 10 to 12 ft; 2 to $2\frac{1}{2}$ in 1 25	10 00	65 00
ALNUS diutinosa European on Black Alden		00 00
8 to 10 ft.; 1½ to 2 in	5 00	35 00
10 to 12 ft.: 2 to 2½ in 1 50	12 50	75 00
incana. 10 to 12 ft.: 2 to $2\frac{1}{2}$ in	10 00	75 00
	12 50	1., 00
AMELANCHIER Canadensia. Shad Bush—	12 .00	
2 to 2 ft	0 50	9F 00
2 to 3 ft	3 50	25 00
10 to 12 ft 1 50	$12 \ 50$	

Each	10	100
ANDROMEDA. See Oxydendron.	10	100
ARALIA. Chinese Angelica Tree—		
elata, var. foliis argentea marginata.		
8 to 10 ft\$1 50		
Japonica. 4 to 5 ft	$\begin{array}{c} \$4 & 00 \\ 6 & 00 \end{array}$	
5 to 6 ft	6 00	
pentaphylla. See Acanthopanax spinosa—		
spinosa. 3 to 4 ft	4 00	
BETULA alba. European White Weeping Birch—		
6 to 8 ft 1 00	7 50	
8 to 10 ft	10 00	
alba, yar. laciniata pendula. Weeping Cut-		
leaved White Birch. 6 to 7 ft 1 50		
lenta. Sweet Birch. 6 to 7 ft 1 00		
8 to 10 ft	7 50	
lutea. Yellow Birch— 8 ft.: 2 in	12:50	
8 ft.; 2 in	$\overline{15}$ $\overline{00}$	
papyrifera. Paper, or Canoe Birch-		
7 to 8 ft	8 50	
nigra; syn., rubra. Red Birch. 7 to 8 ft 1 00	$\begin{array}{c} 8 & 50 \\ 13 & 50 \end{array}$	\$85 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{13}{22} \frac{50}{50}$	150 00
BROUSSONETIA papyrifera. Paper Mulberry-		
8 to 10 ft		
CARAGANA. (Siberian Pea Tree.) Standards in		
varieties. 4 to 5 ft \div 2 50	20 00	
CARPINUS Americana; syn., Caroliniana. American Hornbeam—		
	13 50	
7 to 9 ft. Bushy	20 00	
9 to 10 ft. Bushy 3 50	27 50	150 00
Betulus. European Hornbeam— 5 to 6 ft. Bushy	13 50	
6 to 7 ft. Bushy 2 00	$\frac{13}{18} \frac{50}{50}$	
8 to 10 ft. Bushy 3 50	30 00	
CARYA alba. (Hickory.) $1\frac{1}{2}$ to 2 ft	5 00	
tomentosa. $2\frac{1}{2}$ to 3 ft	5 00	
4 to 5 ft	7 50	
CASTANEA Japonica. Japan Chestnut. 4 to 5 ft 1 00 vesca. Spanish Chestnut. 4 to 5 ft 1 00	$\begin{array}{ccc} 7 & 50 \\ 7 & 50 \end{array}$	
CATALPA bignonioides. 14 to 16 ft.; $3\frac{1}{2}$ in 3 50	. 00	
Bungei. Bunge's Catalpa. Standards—		
7 ft\$3.50 to 5 00		
speciosa. Western Catalpa. 8 to 10 ft 1 00	8 50	
CEDRELA Sinensis. Chinese Cedrela—	10.00	
8 to 10 ft 1 50	10 00	

1 MIOZ ZIOI 1 OK OI MING OI 1010	1000	20
` Each	10	100
CELTIS occidentalis. Nettle Tree. 7 to 8 ft 1 25	\$10 00	\$75 00
9 to 10 ft 1 50	12 50	90 00
10 to 12 ft 2 00	17 50	
CERASUS Padus. European Bird Cherry—		
6 to 8 ft 1 00	6 50	
serotina. Wild Black Cherry—		
14 to 16 ft 2 00		
Avium, var. alba plena. Double White-		
flowering Cherry. 3 to 4 ft 1 00		
Avium, var. rosea plena. Double Pink- flowering Cherry. 3 to 4 ft 1 00 Avium, var. rosea pendula. Pink Weeping		
Avium reces pendula Dink Washing		
Japan Cherry. 4 to 5 ft 2 50		
Sieboldi, var. rubra plena. $3\frac{1}{2}$ to 4 ft 1 50		
CERCIS Canadensis. Red Bud, American Judas—		
2 to 3 ft	3 00	20 00
3 to 4 ft 50	4 00	-0 00
4 to 5 ft 75	6 00	
5 to 6 ft 1 00	7 50	
6 to 7 ft	10 00	
Japonica. See Shrubs.		
CERCIDIPHYLLUM Japonicum. 3½ to 4 ft 1 00	8 50	
5 to 6 ft	12 50	100 00
7 to 8 ft. Specimens 3 00	27.50	100 00
8 to 9 ft. Specimens 3 50	32 50	
CLADRASTIS tinctoria (Virgilia lutea). Yellow Wood. 6 to 8 ft 1 50		
Wood. 6 to 8 ft 1 50	13 50	100 00
8 to 10 ft 2 00	17 50	150 00
10 to 14 ft\$2.50 to 3 50		
CORNUS. See, also, Shrubs. florida. White Dogwood—		
florida. White Dogwood—	F 50	
$3\frac{1}{2}$ to 4 ft.; very fine $1, \dots, 1$ 00	7 50	60 00
4 to 5 ft.; very fine	$\begin{array}{ccc} 10 & 00 \\ 12 & 50 \end{array}$	$\frac{60}{75} \frac{00}{00}$
5 to 6 ft.; very fine 1 50 6 to 7 ft.; very fine 1 75	15 00	125 00
7 to 8 ft.; very fine	$\frac{13}{22} \frac{50}{50}$	120 00
8 to 10 ft.; very fine	27 50	
florida. var. flore rubro. Red-flowered	2. 00	
Dogwood. $2\frac{1}{2}$ to 3 ft	15 00	
3 to 4 ft 2 50	20 00	
4 to 5 ft. Bushy		
5 to 6 ft. Bushy		
One of the most beautiful of		
ornamental trees.		
florida, var. pendula. Weeping Dog-		
W00d— 7 to 10 ft Rare ★ \$5 to 10 00		
CRATÆGUS Carrieri. 4 to 5 ft	7 50	
5 to 6 ft	10 00	
6 to 7 ft	12 50	
7 to 8 ft	22 50	
coccinea. 3 to 4 ft		
4 to 5 ft 1 50		
cordata. Washington Thorn-		
3 to 4 ft 1 00	8 50	
4 to 5 ft	12 50	
5 to 6 ft 2 50		

20 ANDORRA NURSERIES		
CRATÆGUS Crus-galli. Cockspur Thorn- Each	10	100
CRATÆGUS Crus-galli. Cockspur Thorn— Each 2 to 3 ft	\$4 00	\$35 00
3 to 4 ft	6 00	50 00
4 to 5 ft	8 50	
Oxyacantha. English Hawthorn—		
4 to 6 ft 1 00	8 50	
Oxyacantha, var. alba flore pleno.		
Double White Hawthorn—	0.50	
4 to 5 ft	$\begin{array}{c} 8 & 50 \\ 12 & 50 \end{array}$	
Oxyacantha, var. coccinea flore pleno.	12 90	9
Paul's Double Scarlet—		
4 to 5 ft 1 00	9 00	
8 ft. Standards	30 00	
10 It. Standards 5 00 12 to 14 ft Standards 12 50		
12 to 14 ft. Standards		
Double Pink Hawthorn—		
4 to 5 ft		
CYTISUS Laburnum pendula. Weeping Golden Chain—		
7 to 8 ft. Specimen\$3.50 to 7 50		
7 to 8 ft. Specimen\$3.50 to 7 50 DIOSPYROS Virginica. Persimmon. $1\frac{1}{2}$ to 2 ft 50	4 00	
ragus terruginea. American Beech—	13 50	
3 ft	$\frac{13}{18} \frac{50}{50}$	
4 ft	12 50	
4 to 5 ff 2 00	17 50	
5 to 6 ft 7 50	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$	
7 to 8 ft 3 50	$\frac{32}{32} \frac{50}{50}$	
6 to 7 ft. 3 50 7 to 8 ft. 3 50 9 to 12 ft. Specimens \$10 to 15 00	J_ 00	
sylvatica, var. aspietitiona. Fern-like beech—		
3 to 4 ft		
sylvatica, var. pendula. Weeping Beech—		
sylvatica, var. pendula. Weeping Beech— 4 to 5 ft. 3 50		
6 to 7 ft		
All recently transplanted.		
sylvatica, var. purpurea. Purple Beech—		
sylvatica, var. purpurea. Purple Beech— 4 to 5 ft	$\frac{12}{20}$ $\frac{50}{20}$	
5 to 6 ft	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$	1
7 to 8 ft	52 50	
9 to 10 ft\$7.50 to 10 00		
11 to 12 ft\$10 to 25 00		
4 to 5 ft		
$5\frac{1}{2}$ to 6 ft		
5½ to 6 ft		
7 to 8 ft \$5 to \$7 50		
7 to 8 ft\$5 to \$7.50 sylvatica, var. Riversi. Rivers' Blood-leaved		
		- 1
7 to 8 ft		
0 to 12 tt,		



An Avenue of Sweet Gums (Liquidambar), at Andorra.

Each	10	100
FRAXINUS Americana. White Ash. 8 to 10 ft\$1 25	\$10 00	
10 to 12 ft.; $1\frac{1}{2}$ to 2 in 1 50	12 50	\$100 00
12 to 14 ft.; $2\frac{7}{2}$ to $2\frac{3}{4}$ in 2 50	22 50	4
14 to 16 ft.; $2\frac{3}{4}$ to 3 in 3 00		
14 to 16 ft.; 3 to 4 in\$4 to 5 00		
excelsior. European Ash-		
6 to 8 ft 1 00		
8 to 10 ft 1 50		
viridis. Green Ash. 6 to 8 ft	4 00	30 00
GLEDITSCHIA aquatica. Water Locust. 7 to 8 ft 1 00	8 50	
8 to 10 ft	12 50	
triacanthos. Honey Locust—	12 00	
7 to 8 ft 1 00	8 50	
	10 00	
10 to 12 ft 1 50	12 50	
GLYPTOSTROBUS. See Taxodium,	12 00	
GYMNOCLADUS Canadensis. Kentucky Coffee Tree	40 50	
8 to 10 ft	12 50	
10 to 12 ft 2 00	17 50	
12 to 14 ft 2 50		
JUGLANS nigra. Black Walnut. 4 to 5 ft 1 00	7 50	
regia. English Walnut—		
8 to 10 ft.: $1\frac{1}{2}$ to 2 in 2 50		
10 to 12 ft.; 2 to $2\frac{1}{2}$ in 3 50		
KŒLREUTERIA paniculata. Varnish Tree—		
	18 50	
8 to 10 ft 3 00	25 00	
10 to 12 ft. Heavy \$4 to 5 00		

Each	10	100
LARIX European Larch. 6 to 8 ft\$1 25	\$10 00	@OF 00
8 to 10 ft	$\begin{array}{ccc} 13 & 50 \\ 22 & 50 \end{array}$	\$85 00
10 to 12 ft	$\frac{12}{12} \frac{50}{50}$	
14 to 16 ft	$\frac{12}{27} \frac{50}{50}$	
LIQUIDAMBAR, Sweet Gum. 6 to 7 ft. Fine 1 50	12 50	85 00
7 to 8 ft.: $2\frac{1}{7}$ in. Fine $+$ 2 50	$\frac{12}{22} \frac{1}{50}$	
7 to 8 ft.; $2\frac{1}{2}$ in. Fine	32 50	
10 to 12 ft.; $3^{\frac{1}{2}}$ to $3\frac{1}{2}$ in 4 00		
LIRIODENDRON Tulipifera. Tulip Tree. 7 to 8 ft 1 00	7 50	60 00
LIRIODENDRON Tulipifera. Tulip Tree. 7 to 8 ft. 1 00 8 to 9 ft. $\dots 1$ 50	10 00	90 00
10 to 12 ft 1 75	16 50	150 00
MAGNOLIA. Native Sorts—		
acuminata. Cucumber Tree—	7 50	
5 to 6 ft	1 90	
2 to 2½ ft		
grandiflora. Evergreen Magnolia-		
grandiflora. Evergreen Magnolia— 2 to 2½ ft 2 50		
macrophylla. Great-leaved Magnolia—		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		
5 to 6 ft 5 00 tripetala. Umbrella Tree. 6 to 8 ft 1 25	9 00	
8 to 10 ft 1 50	12 50	100 00
10 to 12 ft 2 00	12 00	100 00
Chinese Sorts—		
alba superba. White—		
3 to $3\frac{1}{2}$ ft 2 50		
Alexandriana. 4 to 5 ft. + 3 50 5 to 6 ft. + 7 50		
8 to 10 ft		
conspicua. White—		
$3\frac{1}{2}$ to 4 ft		
5 to 6 ft 5 00	45 00	
7 to 8 ft		
3 to 5 ft \$3.50 to 4.50		
Lennel Hybrid. Lenne's Magnolia—		
3⅓ to 4 ft	32 50	
5 to 6 ft		
7 to 9 ft. Specimens+15 00		
Norbertlana Hybrid. Norbert's Magnolia—		
3 to 4 ft 3 50 5 to 6 ft	,	
hirnirea: syn., ohovata, Purple Magnolla—		
4 to 5 ft		
5 to 6 ft 3 50		
4 to 5 ft 2 50 5 to 6 ft 3 50 Soulangeana Hybrid. Soulange's Magnolia	00 50	
	$\begin{array}{cccc} 32 & 50 \\ 32 & 50 \end{array}$	
4 to 5 ft. Imported 3 50 speciosa. 4½ to 5 ft \$3.50 to 5 00 stellata; syn. Halleana. Hall's Japanese	04 00	
stellata: svn., Halleana, Hall's Japanese		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	13 50	
2 ft	22 50	
$\frac{2\frac{1}{2}}{2}$ ft	$32 \ 50$	
3 ² to 4 ft\$5 to 15 00		



An Avenue of "Andorra-grown" Oriental Planes. (See page 30).

MORUS alba. White Mulberry. 5 to 6 ft	10 \$6 00 32 50
NEGUNDO. See Acer.	02 00
NYSSA sylvatica. Sour Gum. 3 to 4 ft	9 00 13 50
OXYDENDRUM arboreum; syn., Andromeda arborea. Sorrel Tree. 2 to 3 ft. 1 00 3 to 4 ft. 1 50 4 to 5 ft. 2 00 5 to 6 ft. 2 50 6 to 7 ft. 3 00 7 to 8 ft. 3 50	9 00 13 50 18 50 22 50
PARROTIA Persica. Persian Iron Tree. 4 to 5 ft. 1 50 5 to 6 ft. 2 50 6 to 7 ft. 3 50 PAULOWNIA Imperialis. Empress Tree. 21 to 2 ft. 1 50	13 50 22 50 32 50 13 50
PAULOWNIA Imperialis. Empress Tree. 2½ to 3 ft	7 50
vulgaris, var. sanguinea plena. Double Red-flowering Peach, 4 to 5 ft 1 00	7 50

The state of the s	10	100
PLATANUS occidentalis. American Buttonwood—	10	100
PLATANUS occidentalis. American Buttonwood— 8 to 10 ft. \$1 00 10 to 12 ft.; 1\frac{3}{4} to 2 in. 1 50	\$8 50	
10 to 12 ft.; 1\frac{3}{4} to 2 in	12 50	
orientalis. Oriental Plane, or European	7 50	. \$50_00
Buttonwood. 6 to 8 ft. 1 00 8 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 1 25 10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{1}{4}$ in. 1 50 10 to 12 ft.; $1\frac{1}{4}$ to 2 in. 1 75 10 to 12 ft.; 2 to $2\frac{1}{4}$ in. 2 50 12 to 14 ft.; $2\frac{1}{2}$ to 3 in. $+$ 3 50	10 00	85 00
10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 1 50	12 50	115 00
10 to 12 ft.; 13 to 2 in 1 75	$\begin{array}{ccc} 16 & 00 \\ 22 & 50 \end{array}$	$\begin{array}{ccc} 150 & 00 \\ 200 & 00 \end{array}$
10 to 12 it.; 2 to $2\frac{1}{4}$ in	$\frac{22}{32} \frac{50}{50}$	300 00
14 ft.; 3 to 4 in. Specimens. \$5 to 10 00	02 00	000 00
POPULUS alba, var. Bolleana. Bolle's Poplar-		
10 to 12 ft 1 75	16 50	
12 to 14 ft	22 50	
monilifera; syn., Carolinensis. Carolina Poplar. 8 to 10 ft 1 00	7 50	60 00
10 to 12 ft 1 50	10 00	
12 to 14 ft 1 75	15 00	100 00
nigra , var. fastigiata . Lombardy Poplar— 10 to 12 ft.: $1\frac{1}{2}$ to $1\frac{3}{4}$ in 1 25	10 00	90 00
10 to 12 it.; $1\frac{1}{2}$ to $1\frac{7}{4}$ in 1 25 12 to 14 ft.: 2 to $2\frac{1}{7}$ in 1 50	$\frac{10}{13} \frac{00}{50}$	125 00
12 to 14 ft.: $2\frac{1}{2}$ in	18 50	150 00
14 to 16 ft.; 3 to $3\frac{1}{4}$ in 3 50	32 50	300 00
PRUNUS. See, also, Cerasus. Pissardii. Purple Plum. 4 to 5 ft 1 00		
triloha. Flowering Plum. 2 to $2\frac{1}{2}$ ft 50	3 50	
PTELEA trifoliata. Hop Tree. 5 to 6 ft 35	3 00	25 00
6 to 7 ft 50	4 50	35 00
PTEROSTYRAX hispidum (Halesia hispida).	10 50	
10 to 12 ft	12 50	
PYRUS. See, also, Shrubs. baccata, Siberian Flowering Crab Apple—		
5 to 6 ft. Specimens 3 50	$32 \ 50$	
coronaria. Sweet-scented Crab-		
$2\frac{1}{2}$ to 3 ft	7 50	
floribunda. Flowering Crab. 5 to 6 ft 3 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
fioribunda, var. atrosanguinea. 5 to 6 ft 3 50 lænsis, var. Bechtel. Bechtel's Double	52 50	
flowering Crab. $3\frac{1}{2}$ to 4 ft	16 50	
Parkmani; syn., Halliana. Parkman's Crab—		
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 1 00$		
Scheideckeri (Double-flowered)— 5 to 6 ft. "Specimens"	32 50	
Toringo (Dwarf Crab). 5 to 6 ft	$\frac{32}{32} \frac{50}{50}$	
OUEDOUG alba White Oak C to 7 ft		
7 to 8 ft.; $\frac{13}{4}$ to 2 in 2 50	$22 \ 50$	
8 to 10 ft.; 2 to $2\frac{1}{4}$ in		
7 to 8 ft.; 1¾ to 2 in		
8 to 9 ft.; $1\frac{3}{4}$ to 2 in 2 50		
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in		
8 to 9 ft.; 1\(\frac{3}{2}\) to 2 in		
Cerris. Turkey Oak—		
6 to 8 ft.; $2\frac{1}{2}$ to $3\frac{1}{2}$ in\$3.50 to 5 00		

Each	10	100
QUERCUS coccinea. Scarlet Oak. 6 to 7 ft\$1 50	\$13 50	
7 to 8 ft 2 00	18 50	
8 to 9 ft.; $1\frac{3}{4}$ to 2 in 2 50	22 50	
9 to 10 ft.; 2 to $2\frac{1}{4}$ in	30 00	
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{1}{4}$ in\$5 to 7 50		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		
macrocarna. Mossy Cun Oak-		
8 to 9 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 2 00		
10 to 12 ft.; 2^2 to $2\frac{1}{2}$ in 2 50		
palustris. Pin Oak—		
6 to 7 ft. Low-branched 1 50	13 50	
7 to 8 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in. Low-branched 2 00	17 50	
8 to 9 ft.; $1\frac{3}{4}$ to 2 in. Low-branched 2 50	22 50	
10 to 12 ft.; 2 to $2\frac{1}{3}$ in. Low-branched 3 00	$\frac{28}{32} \frac{50}{50}$	
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{1}{4}$ in. Low-branched 3 50	32 30	
8 to		
Excellent for street planting.		
Extra heavy specimens. 4 to 8 in.,		
well-rooted and good tops. \$15.00 to 50 00		
pedunculata, var. Concordia. Golden Oak-		
8 to 10 ft\$3.50 to 5 00		
Prinus. Rock Chestnut Oak. 7 to 8 ft 1 25		
8 to 10 ft 1 50	10 50	
10 to 12 ft.; $1\frac{1}{4}$ to 2 in 2 00 10 to 12 ft.; $2\frac{1}{4}$ to $2\frac{1}{4}$ in 2 50	$\begin{array}{ccc} & 18 & 50 \\ & 22 & 50 \end{array}$	
10 to 12 ft.; 24 to 25 lh 2 50 12 to 14 ft.; 3 to 35 in\$3.50 to 5 00	22 30	
Robur. English Oak— 8 to 10 ft.: 2 to 21 in 1 50	12 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00	
10 to 12 ft., $2\frac{1}{2}$ to 3 in	$\frac{50}{32} \frac{50}{50}$	
$3\frac{1}{2}$ to $4\frac{1}{2}$ in. cal. Specimens. \$5 to 15 00	02 00	
Robur, var. fastigiata. Pyramidal English		
Oak. 10 to 12 ft 3 50		
12 to 14 ft 5 00		
ruhra Rod Oak 7 to 8 ft 1 25	10 00	\$90 00
8 to 10 ft : 11 to 12 in 2 00	17 50	400 00
10 to 12 ft : 2° to $2^{\frac{1}{4}}$ in 3 00	28 50	
12 to 14 ft.; 2% to 3 in\$5.00 to 7 50		
8 to 10 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 2 00 10 to 12 ft.; 2 to $2\frac{1}{4}$ in 3 00 12 to 14 ft.; $2\frac{3}{4}$ to 3 in		
velutina var tinctoria Black Oak-		
6 to 8 ft 1 25		
8 to 10 ft.; 1\frac{3}{4} to 2 in 1 75	15 00	
10 to 12 ft.; 2 to $2\frac{1}{4}$ in $\frac{2}{2}$ 00	18 50	
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{4}{7}$ in 2 50	22 50	
$\begin{array}{c} 6 \text{ to } 8 \text{ ft.} & \dots & 1 \ 25 \\ 8 \text{ to } 10 \text{ ft.}; \ 1\frac{3}{4} \text{ to } 2 \text{ in.} & \dots & 1 \ 75 \\ 10 \text{ to } 12 \text{ ft.}; \ 2 \text{ to } 2\frac{1}{4} \text{ in.} & \dots & 2 \ 00 \\ 12 \text{ to } 14 \text{ ft.}; \ 2\frac{1}{4} \text{ to } 2\frac{3}{4} \text{ in.} & \dots & 2 \ 50 \\ 3 \text{ to } 3\frac{1}{2} \text{ in.} & \text{Specimens} \dots \$3.50 \text{ to } 7 \ 50 \\ \end{array}$	4 00	85 00
KHUS glabra. Smooth Sumac. 4 to 5 ft	4 00	35 00
5 to 6 ft	$\frac{6}{8} \frac{00}{50}$	50 00 75 00
	8 30	10 00
glabra, var. laciniata. Cut-leaved Sumac-	E 00	40.00
$\frac{2\frac{1}{2}}{3}$ to 3 ft	5 00 7 50	40 00 60 00
0 00 2 200 1111111111111111111111111111		00 00
Osbecki. 4 to 5 ft	$\frac{4}{8} \frac{00}{50}$	
5 to 6 ft 1 00	0.00	

Each	10	100
RHUS typhina. Staghorn Sumac. 3 to 3½ ft\$0 35	\$3 00	\$25 00
5 to 6 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
typhina, var. laciniata. (Cut-leaved)—		
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 50$	4 00	35 00
ROBINIA Pseudacacia. Black Locust. 6 to 8 ft 75 8 to 10 ft. 1 00	$\begin{array}{c} 6 & 00 \\ 8 & 50 \end{array}$	$\begin{array}{ccc} 50 & 00 \\ -60 & 00 \end{array}$
SALISBURIA adiantifolia. Ginkgo, or Maidenhair	. 0 50	00 00
Tree. 7 to 8 ft	10 00	
8 to 9 ft.; $1\frac{3}{4}$ to 2 in 1 50 10 to 12 ft.; 2 to $2\frac{1}{4}$ in 1 75	$\begin{array}{ccc} 12 & 50 \\ 16 & 50 \end{array}$	150 00
	22 50	20,0
12 to 14 tt.; 25 to 3 in 3 50 SALIX alba. White Willow 6 to 8 ft	32 50	
SALIX alba. White Willow 6 to 8 ft	$\begin{array}{c} 6 & 50 \\ 12 & 50 \end{array}$	
Babylonica. Weeping Willow, 8 to 10 ft 1 00	. 8 50	
10 to 12 ft	12 50	
caprea. Pussy Willow. 7 to 8 ft 1 00	7 50	
8 to 10 ft 1 50	12 50	60 00
incana. Rosemary Willow. 4 to 5 ft	$\begin{array}{ccc} 4 & 50 \\ 6 & 50 \end{array}$	$\begin{array}{ccc} 35 & 00 \\ 50 & 00 \end{array}$
lutea. Golden Willow. 6 to 7 ft 1 00	6 50	40 00
lutea, var. pendula. Golden Weeping-		
7 to 8 ft	10 00	75 00 $50 00$
pentandra. Laurel Leaf Willow. 6 to 7 ft. \displays 1 00 7 to 8 ft. \displays 1 50	$\begin{array}{c} 7 \ 50 \\ 12 \ 50 \end{array}$	$\frac{50}{75} \frac{00}{00}$
vitellina, var. Britzensis. Salmon-barked	10.00	
Willow. 8 to 10 ft	$10 00 \\ 12 50$	
12 to 14 ft 2 00	$\frac{12}{17} \frac{50}{50}$	
SASSAFRAS officinale (Sassafras). 5 to 6 ft 1 00	5 00	
SOPHORA Japonica, var. pendula. Weeping		
Sophora. 6 to 8 ft. \$3.50 to 7 50 \$6RBUS American. American Mountain Ash—		
7 to 8 ft		
aucuparia. European Mountain Ash-	40 Ó0	
7 to 8 ft	$\begin{array}{ccc} 10 & 00 \\ 12 & 50 \end{array}$	
aucuparia, var. quercifolia. Oak-leaved		
Mountain Ash. 6 to 7 ft 1 50		
TAXODIUM distichum. Deciduous Cypress— 3 to 4 ft 1 00	8 50	
5 to 6 ft	12 50	
TILIA Americana. American Linden or Bass-		
wood— 7 to 9 ft.; $1\frac{1}{2}$ to 2 in 1 50	12 50	100 00
8 to 10 ft.; 2 to $2\frac{1}{4}$ in	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$	$\begin{array}{ccc} 150 & 00 \\ 175 & 00 \end{array}$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$:	110 00
12 to 14 ft.; 3¼ to 4 in ★ \$5 to 10 00		

Tilia argentea; syn., tomentosa. Silver-leaved Linden— 8 to 10 ft.; 2 to 2½ in
10 to 12 ft.; 2½ to 2¾ in
platyphyllos. Large-leaved Linden— 7 to 8 ft.; 1½ to 2 in
platyphyllos. Large-leaved Linden— 7 to 8 ft.; 1½ to 2 in
7 to 8 ft.; 1¾ to 2 in. 1 50 12 50 vulgaris; syn., Europæa. European Linden— 8 to 10 ft.; 2 to 2¼ inper 100, \$150 1 75 16 50 10 to 12 ft.; 2½ to 2¾ inper 100, \$200 2 50 22 50 These specimens are an unusual lot of strictly perfect trees. vulgaris, var. pyramidalis laciniata. Pyramidal Cutleaf. 12 to 14 ft.; 3 in
vulgaris; syn., Europæa. European Linden— 8 to 10 ft.; 2 to 2¼ inper 100, \$150 1 75 16 50 10 to 12 ft.; 2½ to 2¾ inper 100, \$200 2 50 22 50 12 to 16 ft.; 3 to 4 in. Specimens \$4 to 10 00 These specimens are an unusual lot of strictly perfect trees. vulgaris, var. pyramidalis laciniata. Pyramidal Cutleaf. 12 to 14 ft.; 3 in
8 to 10 ft.; 2 to 2\frac{1}{4} in \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
10 to 12 ft.; 2½ to 2¾ inper 100, \$200 2 50 12 to 16 ft.; 3 to 4 in. Specimens \$4 to 10 00 These specimens are an unusual lot of strictly perfect trees. vulgaris, var. pyramidalis laciniata. Pyramidal Cutleaf. 12 to 14 ft.; 3 in 4. 3 50 ULMUS Americana. American Elm— 8 to 10 ft.; 1¼ to 1½ inper 100, \$90 + 1 25 10 to 12 ft.; 1½ to 2 inper 100, \$125 + 1 50 12 to 14 ft.; 2 to 2¼ inper 100, \$160 + 2 00 17 50 12 to 14 ft.; 2½ to 2¾ inper 100, \$200 + 2 50 12 to 14 ft.; 2½ to 2¾ inper 100, \$200 + 2 50 12 to 14 ft.; 2¾ to 3¾ in + 3 50 12 to 14 ft.; 2¾ to 3 in + 3 50 12 to 12 ft.; 2½ to 2¾ in + 3 50 12 to 14 ft.; 2½ to 2¾ in + 3 50 12 to 14 ft.; 2½ to 2¾ in + 3 50 12 to 14 ft.; 2½ to 3¾ in + 3 50 12 to 14 ft.; 2½ to 2¾ in 2 75 12 to 14 ft.; 2½ to 3¾ in 3 50 Specimens. 3 to 4 in \$5 to 10 00 campestris, var. latifolia; syn., major. Broad-leaved English Elm— 12 to 14 ft.; 2½ to 2¾ in
12 to 16 ft.; 3 to 4 in. Specimens\$4 to 10 00 These specimens are an unusual lot of strictly perfect trees. Vulgaris, var. pyramidalis laciniata. Pyramidal Cutleaf. 12 to 14 ft.; 3 in
perfect trees. vulgaris, var. pyramidalis laciniata. Pyramidal Cutleaf. 12 to 14 ft.; 3 in
vulgaris, var. pyramidalis laciniata. Pyramidal Cutleaf. 12 to 14 ft.; 3 in
leaf. 12 to 14 ft.; 3 in
8 to 10 ft.; 1¼ to 1½ in per 100, \$90. + 1 25 10 00 10 to 12 ft.; 1½ to 2 in per 100, \$125. + 1 50 13 50 12 to 14 ft.; 2 to 2¼ in per 100, \$120. + . 2 00 17 50 12 to 14 ft.; 2½ to 2½ in per 100, \$200. + . 2 50 22 50 12 to 14 ft.; 2½ to 2¾ in per 100, \$200. + . 2 50 22 50 12 to 14 ft.; 2½ to 3 in 3 50 32 50 14 to 15 ft.; 3 to 6 in. Specimens \$5 to 25 00 campestris. English Elm. 8 to 10 ft.; 2 to 2¼ in 1 50 13 50 10 to 12 ft.; 2½ to 2¾ in 3 50 32 50 Specimens. 3 to 4 in 3 50 32 50 campestris, var. latifolia; syn., major. Broad-leaved English Elm.— 12 to 14 ft.; 2½ to 2¾ in
10 to 12 ft.; 1½ to 2 inper 100, \$125. + 1 50 13 50 12 to 14 ft.; 2 to 2½ inper 100, \$160. +. 2 00 17 50 12 to 14 ft.; 2½ to 2½ inper 100, \$200. +. 2 50 22 50 12 to 14 ft.; 2½ to 2¾ inper 100, \$200. +. 3 00 27 50 12 to 14 ft.; 2¾ to 3 in +. 3 50 32 50 14 to 15 ft.; 3 to 6 in. Specimens\$5 to 25 00 campestris. English Elm. 8 to 10 ft.; 2 to 2¼ in 1 50 13 50 10 to 12 ft.; 2½ to 2¾ in 2 75 25 00 campestris, 2½ to 3¾ in 3 50 32 50 Specimens. 3 to 4 in \$5 to 10 00 campestris, var. latifolia; syn., major. Broad-leaved English Elm— 12 to 14 ft.; 2½ to 2¾ in 2 75 12 to 14 ft.; 2½ to 2¾ in 3 50 16 to 18 ft.; 3 to 5 in \$5 to 15 00
12 to 14 ft.; 2 to 2\frac{1}{2} inper 100, \\$160. \top 2 00 17 50 12 to 14 ft.; 2\frac{1}{2} to 2\frac{3}{2} inper 100, \\$200. \top 2 50 12 to 14 ft.; 2\frac{1}{2} to 2\frac{3}{2} inper 100, \\$200. \top 2 50 12 to 14 ft.; 2\frac{3}{2} to 3 in \top 3 50 14 to 15 ft.; 3 to 6 in. Specimens\\$5 to 25 00 campestris. English Elm. 8 to 10 ft.; 2 to 2\frac{1}{4} in. 1 50 10 to 12 ft.; 2\frac{1}{2} to 2\frac{3}{4} in 2 75 12 to 14 ft.; 2\frac{5}{4} to 3 in 3 50 Specimens. 3 to 4 in \\$5 to 10 00 campestris, var. latifolia; syn., major. Broad-leaved English Elm— 12 to 14 ft.; 2\frac{1}{2} to 2\frac{3}{4} in 2 75 12 to 14 ft.; 2\frac{1}{4} to 3 in 3 50 16 to 18 ft.; 3 to 5 in \\$5 to 15 00
12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ inper 100, \$200
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in
14 to 15 ft.; 3 to 6 in. Specimens\$5 to 25 00 campestris. English Elm. 8 to 10 ft.; 2 to 2½ in 1 50 13 50 10 to 12 ft.; 2½ to 2¾ in 2 75 25 00 12 to 14 ft.; 2¾ to 3 in 3 50 32 50 Specimens. 3 to 4 in \$5 to 10 00 campestris, var. latifolia; syn., major. Broad-leaved English Elm—12 to 14 ft.; 2½ to 2¾ in 2 75 12 to 14 ft.; 2¼ to 3 in 3 50 16 to 18 ft.; 3 to 5 in \$5 to 15 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
10 to 12 ft.; 2½ to 2¾ in
12 to 14 ft.; 2\frac{3}{4} to 3 in
Specimens. 3 to 4 in\$5 to 10 00 campestris, var. latifolia; syn., major. Broad-leaved English Elm— 12 to 14 ft.; 2½ to 2¾ in
campestris, var. latifolia; syn., major. Broad-leaved English Elm— 12 to 14 ft.; 2½ to 2¾ in. 2 75 12 to 14 ft.; 2¾ to 3 in. 3 50 16 to 18 ft.; 3 to 5 in. \$5 to 15 00
English Elm— 12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in
12 to $1\overset{7}{4}$ ft.; $2^{\frac{1}{2}}$ to $2^{\frac{3}{4}}$ in
12 to 14 ft.; 2\frac{3}{4} to 3 in
compostrio von Wheatley's (Cornich) Flm
Campestris, var. wheatiers (Cornish) Line—
6 to 8 ft
8 to 10 ft
12 to 14 tt. 14 to 16 ft
scabra; svn., Dampieri; fastigiate form-
12 to 14 ft.; 3 in
scabra; var. Huntingdoni. Huntingdon Elm— 12 to 14 ft.; 3 to 31 in
14 to 16 ft.: 3½ to 3½ in
14 to 16 ft.; 3½ to 5 in\$5 to 15 00
scabra, var. pendula. Camperdown Elm-
6 ft
scabra, var. purpurea. Purple Wych Elm— 10 to 12 ft.: 2 to 24 in
10 to 12 ft.; 2 to 2\frac{1}{2} in. \ 2 00 17 50 12 to 14 ft.; 3 to 3\frac{1}{2} in. \ 3 50 32 50



Partial View of Nursery Grounds from Top of Main Nursery.

AZALEAS, ANDORRA-GROWN

	Each	10	100
AZALEA	arborescens. Fragrant White Azalea-		
	12 to 15 in. Bushy clumps\$1 00	\$9 00	\$80.00
	15 to 18 in. Bushy clumps 1 50	13 50	125 00
	$1\frac{1}{2}$ to 2 ft. Bushy clumps 2 00	18 50	150 00
	2 to $2\frac{1}{2}$ ft. Bushy clumps 2 50	22 50	175 00
	$2\frac{1}{2}$ to 3 ft. Bushy clumps 3 50	30 00	250 00
	calendulacea. Flame Azalea. 12 to 15 in 1 00	9 00	80.00
	15 to 18 in. Bushy clumps 1 50	13 50	125 00
	18 to 24 in. Bushy clumps 1 75	.15 00	135 00
	2 to $2\frac{1}{2}$ ft. Bushy clumps 2 50	22 50	200 00
	$2\frac{1}{2}$ to 3 ft. Bushy clumps.\$3.50 to 5 00		
	Canadensis (Rhodora), 1 ft. Bushy 1 00	8 50	75.00
	$1\frac{1}{2}$ to 2 ft. Bushy	13 50	110 00
	mollis. $1\frac{1}{2}$ ft. Named sorts	10 00	90 00
	2 ft. Bushy. Named sorts 1 50	13 50	125 00
	$2\frac{1}{2}$ ft. Bushy. Named sorts 2 00	17 50	
	nudiflora. 12 to 15 in	9 00	
	15 to 18 in. Clumps 1 50	13 50	115 00
	1½ ft. Bushy clumps 1 75	15 00	125 00
	2 ft. Bushy clumps	20 00	175 00
	Pontica (Ghent). 1 ¹ / ₂ ft. Named sorts 1 25	10 00	90 00
	2 ft. Bushy, Named sorts 1 50	12 50	120 00
	$2\frac{1}{2}$ to 3 ft. Bushy	22 50	
	3 to $3\frac{1}{2}$ ft. Bushy\$2.50 to 3 50		
	Vaseyi. Southern Azalea. 12 to 15 in 1 00	9 00	
	15 to 18 in	13 50	
	$\frac{1}{2}$ ft. Bushy clumps	18 50	150 00
	2 ft. Bushy clumps 2 50	22 50	200 00
	viscosa. White Azalea—		
	15 to 18 in. Bushy clumps 1 50	13 50	115 00
	$1\frac{1}{2}$ ft. Bushy clumps	18 50	150 00
	2 ft. Bushy clumps 2 50	22 50	175 00
	Yodogama. 15 to 18 in 1 75	15 00	
	24 in	.20 00	

DECIDUOUS SHRUBS

	Each	10	100
ABELIA rupestris. 1 ft	.\$0 50	\$4 50	
ACANTHOPANAX spinosa (Aralia pentaphylla)-			
$2\frac{1}{2}$ to 3 ft		$\frac{2}{3} \frac{00}{00}$	\$20 00
4 to 5 ft	პა	5 UU	25 00
ÆSCULUS parviflora; syn., Pavia macrostachya—	1 00	8 50	69-00
$2 \atop 2\frac{1}{2}$ ft		10 00	85 00
3 ² ft		17 50	150 00
ALTHEA. See Hibiscus.			
AMELANCHIER Botryapium. 2 to 2½ ft	35	3 00	25 00
AMORPHA canescens. 2 to $2\frac{1}{2}$ ft	35	2 50	15 00
: fruticosa. 4½ to 5 ft		3 00	20 00
AMYGDALUS (Almond). See Prunus.			
BACCHARIS halimifolia. Groundsel Shrub-			
3 to $3\frac{1}{2}$ ft	50	3 50	25 00
BENZOIN odoriferum. Spice Bush. 2 to 2½ ft	35	3 00	20 00
$\frac{3}{2}$ to $\frac{31}{2}$ ft	50	4 00	30 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	35 00
BERBERIS (Barberry). Duleis. 1 ft		4 00	35 00
ilicifolia. Holly-leaved. 2 to $2\frac{1}{2}$ ft		3 00	27 50
$2\frac{1}{2}$ to 3 ft		4 00	35 00
3^2 to $3\frac{1}{2}$ ft		6 00	40 00
Sieboldi. 3½ to 4 ft. Heavy	75	6 50	40 50
Thunbergii. 12 to 15 in	25 35	$\begin{array}{c} 1 & 75 \\ 2 & 50 \end{array}$	$\frac{12}{15} \frac{50}{00}$
15 to 18 in		$\frac{2}{3} \frac{50}{50}$	20 00
2 ft.; broad and very heavy	60	4 50	35 00
2½ ft.; broad and very heavy	75	$\frac{6}{9} \frac{00}{00}$	75 00 75 00
3 to 3½ ft.; broad and very heav vulgaris. Common Barberry—	y. 1 00	9 00	75 00
2½ to 3 ft	50	3 50	25 00
3 to $3\frac{1}{2}$ ft	60	5 00	30 00
vulgaris, var. Amurensis. 2 to $2\frac{1}{2}$ ft	75	6 00	
vulgaris, var. purpurea. $2\frac{1}{2}$ to 3 ft	35	3 00	17 50
$\frac{3}{21}$ to $\frac{31}{2}$ ft		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{25}{30} \frac{00}{00}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		6 00	35 00
CALLICARPA purpurea. Beauty Fruit— 3 to 4 ft	75	6 00	. 40 00
CALYCANTHUS floridus. Allspice, or Sweet Shrub-	-		00.00
2 to $2\frac{1}{2}$ ft	50	$\frac{4}{6} \frac{00}{00}$	$\frac{30}{35} \frac{00}{00}$
3 to $3\frac{1}{2}$ ft	75	0 00	35 00
CARAGANA arborescens. Siberian Pea-	75	6 00	40 00
4 to 5 ft · · · · · · · · · · · · · · · · · ·	10	0.00	10 00

CEANOTHUS Americanus. Jersey Tea. 1½ ft\$0 25	- 10 \$2 00	100
CEPHALANTHUS occidentalis—		
$2\frac{1}{2}$ to 3 ft	2 50	
$3\frac{1}{2}$ to 4 t	3 00	\$25 00
4 to 5 ft	4 00	30 00
CERCIS. See, also, Deciduous Trees.		
Japonica. Japan Judas—		
$\frac{2}{2}$ to $\frac{21}{2}$ ft	4 00	35 00
$2\frac{1}{2}$ to 3° ft	6 00	50 00
CHIONANTHUS Virginica. White Fringe-		
$2\frac{1}{2}$ to 3 ft. Bushy		
3 to 4 ft. Bushy 75	7 00	50 00
4 to 5 ft. Bushy 1 00	8 50	60 00
5 to 6 ft	$\begin{array}{ccc} 10 & 00 \\ 15 & 00 \end{array}$	75 00
CLETHRA ainifolia. Sweet Pepperbush. 1½ to 2 ft 35	$\begin{array}{ccc} 2 & 50 \\ 3 & 50 \end{array}$	20 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 25 & 00 \\ 35 & 00 \end{array}$
COLUTE A subsuccess Di il G	5 00	55 00
COLUTEA arborescens. Bladder Senna— 2 to $2\frac{1}{2}$ ft	3 00	20 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4 00	$\frac{20}{25} \frac{00}{00}$
COMPTONIA asplenifolia. Sweet Fern. 2 to 2½ ft. 35	3 00	20 00
	5 00	
CORCHORUS Japonicus. Single Globe Flower—	0.50	
18 to 24 in	2 50	15 00
	4 00	20 00
Japonicus, fl. pl. (Double Kerria)— 2 to 2½ ft	4 00	20 00
Japonicus, var. variegata. (Variegated		
Leaves). 2 ft 50	4 00	20 00
CORNUS. See, also, Trees.		
	2 00	
$2\frac{1}{4}$ to 3 ft very heavy	3 ŏŏ	20 00
3^2 to 3^2 ft.: very heavy 50	4 00	25 00
3^{2} to 3^{1} ft.; very heavy 50 3^{1} to 4^{2} ft.; very heavy 75	600	30 00
4 to 5 ft.; very heavy 1 00	7 50	
alba; syn., Siberica, var. aurea variegata— 2 to $2\frac{1}{2}$ ft		
alba, var. elegantissima. Golden-leaved—		
2 to $2\frac{1}{2}$ ft		
$2\frac{1}{2}$ to 3^2 ft		
alternifolia. 4 to 5 ft	4 00	
5 to 6 ft	$\frac{5}{00}$	
6 to 7 ft 1 00	6 00 -	
Kousa (Benthamia Japonica)—		
2 to $2\frac{1}{2}$ ft 1 50	$\frac{12}{10} \frac{50}{50}$	
$\overline{3}_{\frac{1}{2}}$ to $\overline{4}^2$ ft	18 50	
Mas. Cornelian Cherry. $2\frac{1}{2}$ to 3 ft 50	0.00	05.00
$4\frac{1}{2}$ to 5 ft.; very heavy	6 00 - 7 50 -	35 00 50 00
5 ² to 6 ft	1 90	50 00
() to 10 It. specimens. 7 91.00 to 2 00		

gracilis, var. carminea. 1½ ft.....

75

50

4 00

4 00 5 00 $\frac{25}{25} \frac{00}{00}$

30 00

Eac	eh	10	100
DEUTZIA gracilis, var. rosea. 18 to 24 in\$0	75	\$6 00	\$35 00
	35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{20}{30} \frac{00}{00}$
$3\frac{1}{2}$ to 4 ft.	75	5 00	35 00
4 to 5 ft 1	00 -	7 50	40 00
	35	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{20}{25} \frac{00}{00}$
	50 50	4 00	25 00
scabra. 2 to 3 ft.	35 35	3 00	20 00
3 to 4 ft	50	4 00	25 00
	75	. 6 00	
DIERVILLA (Weigela) florida, var. amabilis— 3 to 4 ft.	50	3 50	
	50	4 00	25 00
4 to 5 ft	75	5 00	
	35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
florida nana, var. aurea variegata—		7 00	
2 to 3 ft	50		
	75 75	6 60	
	19 35 -	3 00	25 00
5 to 6 ft	50	5 00	20 00
Japonica (syn., hortensis), var. flori-			
	50	4 00	
	35 50	$\frac{3}{3} \frac{00}{50}$	$\frac{20}{25} \frac{00}{00}$
	75	5.00	30 00
	50	4 00	
0 00 = 000	75	5 00	
and the state of t	35 50	$\frac{3}{4} \frac{00}{00}$	20 00
0 00 2 20 10000000000000000000000000000	50 50	4 00	30 00
4 to 5 ft.	75 .	$\frac{1}{6} \frac{00}{00}$	30 00
Grænewegeni, var. Mad. Contourier.			
(Hybrid). 2 to 3 ft	$\frac{35}{50}$	$\begin{bmatrix} 3 & 00 \\ 4 & 00 \end{bmatrix}$	
2 00 0 200	35 35	3:00	
	60 -	5 00	
5 to 6 ft	75		
Grænewegeni, var. Van Houttei—	35	2.00	
	ອຍ 50	$\begin{array}{c} 3 & 00 \\ 4 & 00 \end{array}$	
	75	6 00	
	35	3 00	20 00
	50 75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00
	25	2 00	
3 to $3\frac{1}{2}$ ft	50	3 50	
- 10 0	75 2~	5 00	15 00
trifida. 1½ to 2 ft	35 35	2 00 3 00	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$
	50	4 00	

	Eac	h	10	100
ELÆAGNUS angustifolia. Oleaster. 4 to 5 ft	.\$0 5	50	\$4 00	
5 to 6 ft	. (75	6 00	
longipes; syn., edulis. Japanese Oleas	s	75	5 00	\$30 00
ter. 4 to 5 ft. Bushy 5 to 6 ft. Bushy	: 16	61	8 50	40 00
6 to 7 ft			10 00	10 00
parvifolia. 6 to 7 ft		00	7 50	
EUONYMUS alatus. Cork-barked. 2½ to 3 ft	1 1	50	13 50	
3 to $3\frac{1}{2}$ ft	. 2 (00	18 50	
3½ to ½ ft	$\frac{2}{2}$	50	$\frac{22}{27} \frac{50}{50}$	
4 to 5 ft		00 50	$\begin{array}{ccc} 27 & 50 \\ 32 & 50 \end{array}$	
5 to 6 ft		30	32 30	
flowering and fruiting shrubs.	<i>J</i> L			
Americana. Strawberry Bush—				
2 to 3 ft		35	3 00	
3 to 4 ft. Europæus. Spindle Tree. 3 to 4 ft.		50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1= 00
Europæus. Spindle Tree. 3 to 4 ft		35		15 00
EXOCHORDA grandiflora. Pearl Bush. 2 to 3 ft.		50 75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
4 to 5 ft		75 50	$\begin{array}{ccc} 4 & 00 \\ 12 & 50 \end{array}$	
FORSYTHIA (Golden Bell) Fortunei. 3 to 4 ft		35	3 00	20 00
4 to 5 ft · very heavy		50	3 50	25 00
4 to 5 ft.; very heavy 5 to 6 ft.; very heavy		75	4 00	30 00
6 to 7 ft.; very heavy	. 1	00	5 00	35 00
Fortunei, var. aurea variegata. 4 to 5	ft.	75	6 00	50 00
intermedia. 2 to 3 ft		$\frac{25}{25}$	2 00	15 00
3 to 4 ft.; very heavy	• •	35 50	3 00 4 50	$\frac{20}{30} \frac{00}{00}$
4 to 5 ft		75 75	$\frac{4}{6} \frac{50}{00}$	35 00
suspensa. 2 to 3 ft	• •	$\frac{15}{25}$	2 00	15 00
3 to 4 ft		50	$\frac{7}{4} \frac{00}{00}$	10 00
4 to 5 ft		75	6 00	
4 to 5 ft	1	00	7 50	
viridissima. 2 to 3 ft		25	2 00	15 00
3 to 4 ft.; very heavy; extra.		35 50	3 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 to 5 ft.; very heavy; extra. 5 to 6 ft.; very heavy; extra.	• •	90 75	$\frac{4}{6} \frac{00}{00}$	50 00
HALESIA tetraptera. 5 to 6 ft		75	6 00	50 00
HAMAMELIS Japonica. Japanese Witch Hazel—	• •		0 00	
2 to 2⅓ ft	1	00	8 50	75 00
2 to 3 ft		50	12 50	100 00
Virginiana. Witch Hazel. 4 to 5 f	it.	50	4 00	
5 to 6 ft.; heavy		75	6 00	50 00
6 to 7 ft.; heavy	1	00	7 50	60 00
HIBISCUS Syriacus. Althea; Rose of Sharon—atropurpurea plena. 5 to 6 ft			5 00	35 00
Boule de Feu. 5 to 6 ft		75 75	5 00	39 00
cœrulea plena. 5 to 6 ft		75	5 00	
Comte de Flandre. 4 to 5 ft		50	4 00	
5 to 6 ft		75	5 00	0.
grandiflora superba. 4 to 5 ft		50	4 00	30 00
Jeanne d'Arc. 3 to 4 ft		50 75	$\frac{4}{5} \frac{00}{00}$	$\frac{25}{40} \frac{00}{00}$
4 to 5 ft	1 1	00	6 00	50 00
Lady Stanley. 4 to 5 ft		50	4 00	50 00
5 to 6 ft		75	6 00	

	Each	10	100
HIBISCUS purpureus folis argenta marginata—	** **		
4 to 5 ft	.\$0 35	\$3 00	\$20 00
5 to 6 ft	. 50 . 50	$\begin{array}{ccc} 4 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
totusalbus. 3 to $3\frac{1}{2}$ ft. $3\frac{1}{2}$ to 4 ft. $3\frac{1}{2}$ to 4 ft. $3\frac{1}{2}$	$\frac{30}{75}$	$\frac{4}{5} \frac{00}{00}$	30 00
violacea (semi-plena). 5 to 6 ft	75	6 00	40 00
HIPPOPHAE rhamnoides. See Buckthorn.		0 00	10 00
$2\frac{1}{2}$ to 3 ft	. 50	2 50	20 00
HYDRANGEA arborescens. 2 to $2\frac{1}{2}$ ft	. 35	3 00	
$2\frac{1}{2}$ to 3 ft	50	3 50	25 00
arborescens, var. grandiflora—			
3 to 4 ft	. 50	4 50	35 00
Hortensis, var. Imperatrice Eugenie—	. 75		
$1\frac{1}{2}$ ft.; 4-in. pot	. 75 . 75		
Hortensis, var. Japonica. 1 ft	$\frac{75}{75}$		
paniculata. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$	35	3 00	
4 to 5 ft	. 50	4 00	
4 to 5 ft paniculata grandiflora. 3 to $3\frac{1}{2}$ ft	. 50	4 00	25 00
$3\frac{1}{2}$ to 4 ft	$\frac{75}{2}$	6 00	35 00
4 to $4\frac{1}{2}$ ft.; extra heavy		$\begin{array}{c} 7 & 50 \\ 12 & 50 \end{array}$	60 00
4½ to 5 ft.; extra heavy quercifolia. Oak-leaved—	. 1 50	12 50	00 00
2 to $2\frac{1}{2}$ ft	. 75	6 00	
$\overline{3}$ to $\overline{3}_{\overline{2}}^{\overline{1}}$ ft	1 00	7 50	
HYPERICUM aureum. 2½ to 3 ft		3 00	20 00
3 to 4 ft	. 50	4 00	$\overline{25}$ $\overline{00}$
calcinum. Aaron's Beard. 1 ft	. 50		
hircinum. 1½ to 2 ft	. 50	3 50	20 00
Moserianum hybridum. Gold-Flower—	. 50	2 50	20 00
15 to 18 in	35	2 30	20 00
prolificum. 15 to 18 in	50		
ILEX Sieboldi. Red-fruited. 2½ to 3 ft		22 50	
Sieboldi. White-fruited. 2 to $2\frac{1}{2}$ ft	. 2 50	$\frac{1}{22}$ 50	
verticillata. Winter Berry. $1\frac{1}{2}$ to 2 ft	. 25	$\frac{2}{3} \frac{00}{00}$	
$\frac{2}{2}$ to $\frac{21}{2}$ ft.	$\frac{35}{50}$	3 00	$\frac{25}{25} \frac{00}{00}$
$2\frac{1}{2}$ to 3 ft		4 00	35 00
ITEA Virginica. 1½ to 2 ft	35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
2 to $2\frac{1}{2}$ ft.	. 50	3 30	20 00
JASMINUM nudiflorum. Yellow Jasmine— 1½ ft.	. 50	3 50	
KERRIA. See Corchorus.	. 90	0 00	
LESPEDEZA bicolor. 4 to 5 ft	35	2 50	
5 to 6 ft	50	$\tilde{3}$ $\tilde{50}$	
Sieboldi; syn., Desmodium Japonicum-	-		
Heavy clumps	35	3 00	
Sieboldi, var. alba. Heavy clumps	50		
LIGUSTRUM Amurense. Amoor Privet. 2 to 2½ ft.		3 00	15 00
2½ to 3 ft	. 50	4 00	20 00
ciliatum. Sold by many for Ibota— 3 to $3\frac{1}{2}$ ft. Broad and heavy	50	3 50	15 00
$3\frac{1}{2}$ to 4 ft. Broad and heavy		4 00	$\frac{10}{20} \frac{00}{00}$
4 to 5 ft. Broad and heavy	75	5 00	25 00
5 to 6 ft. Broad and heavy	1 00	7 50	30 00

	E	lach	10	100
LIGUSTRUM	Ibota. The true upright form-			
	$\frac{2}{2}$ to $\frac{21}{2}$ ft\$	0.25	\$2 00	\$10 00
	$2\frac{1}{2}$ to 3 ft	35	3 00_	12 50
	3^2 to $3\frac{1}{2}$ ft	50	3 50	15 00
	4 to 5 ft.; heavy	60	4 00	20 00
	5 to 6 ft	75	6 00	35 00
	6 to 7 ft	1 00	8 50	60 00
	Ibota, var. Regelianum. Regel's-			
	$1\frac{1}{2}$ to 2 ft.; heavy	35	3 00	20 00
	$2^{\frac{7}{2}}$ to 3 ft.; heavy	50	3 50	25 00
	3 to 4 ft	75	5 00	30 00
		1 00	7 50	35 00
	media. $2\frac{1}{2}$ to 3 ft	50	3 50	20 00
	ovalifolium. Califorina Privet-			
	2 to $2\frac{1}{2}$ ft.; bushy 1000, \$35	25	1 00	5 00
	2½ to 3 ft.: bushy 1000 \$50	35	1 50	7 50
	$\frac{3}{2}$ to $\frac{3}{2}$ ft.; bushy $\frac{1000}{1000}$, $\frac{60}{1000}$	50	2 50	10 00
	$3\frac{1}{2}$ to 4 ft.; bushy (1000, \$75)	60	4 00	15 00
	35 4 to 5 ft.; bushy	75	5 00	25 00
	5 to 6 ft.; bushy	1 00		
	ovalifolium. var. aureum. Golden Privet-			
	$2\frac{1}{2}$ to 3 ft	75	6 00	
	Grand stock. Transplanted			
	Privet, extra heavy. Will give			
	immediate hedge.			
	Sinensis. Chinese Privet, 2½ to 3 ft	50		
	$3\frac{1}{2}$ to 4 ft	75		
	vulgaris. Common Privet. 2 to 3 ft	35	$\frac{2}{3} \frac{50}{00}$	15 00
	3 to 4 ft	50		25 00
	4 to 5 ft	75	4 00	30 00
LONICERA	fragrantissima. Chinese Fragrant Bush			
	Honeysuckle. 2 to 3 ft	25	2 25	20 00
	3 to 4 ft	35	3 25	30 00
	4 to 5 ft.; heavy	50	4 50	40 00
	5 to 6 ft.; heavy	75	6 00	50 00



A Portion of the Propagating Grounds at Andorra.

42 ANDORKA NURSERIES		
LONICERA Morrowi. Japanese Bush Honeysuckle-	10	100
3 to 4 ft\$0 50	\$3 00	\$25 00
4 to 5 ft	5 00	35 00
5 to 6 ft	6 00	40 00
Ruprechtiana. 2 to 3 ft	3 00	20 00
3 to 4 ft 50	3 50	25 00
4 to 5 ft	5 00	35 00
Standishi. Standish's Honeysuckle—		
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \uparrow \dots \downarrow \dots \downarrow \dots \downarrow$	6.00	
Tatarica. Mixed sorts. $3\frac{1}{2}$ to 4 ft $3\frac{5}{2}$	$\frac{2}{3} \frac{50}{00}$	07 00
5 to 6 ft	5 00	$\begin{array}{ccc} 25 & 00 \\ 30 & 00 \end{array}$
6 to 8 ft.; heavy	3 50	30 00
4 to 5 ft	5 00	
4 to 5 ft	3 00	
3 to 4 ft 50	3 50	
4 to 5 ft.; heavy 75	6 00	
5 to 6 ft	7 50	
Tatarica, yar. bella albida. 2 to 3 ft 35	3 00	$25 \ 00$
3 to 4 ft 50	4 00	
4 to 5 ft	$\frac{5}{2}$ 00	
5 to 6 ft 1 00	7 50	0= 00
Tatarica, var. gracilis. 2 to 3 ft 35	3 00	$25 \ 00$
3 to 4 ft	$\begin{array}{c} 6 & 00 \\ 7 & 50 \end{array}$	
5 to 6 ft	3 50	30 00
5 to 6 ft	5 00	40 00
Tatarica, var. splendens. 2 to 3 ft 35	3 00	$\frac{10}{20} \frac{00}{00}$
4 to 5 ft	4 00	3 5 00
4 to 5 ft	7 50	50 00
LYCIUM Chinense. Matrimony Vine. 2 to 2½ ft 35	2 50	15 00
LYCIUM Chinense. Matrimony Vine. 2 to $2\frac{1}{2}$ ft 35 MYRICA cerifera. Wax Myrtle. 12 to 15 in 50	4 00	35 00
15 to 18 in. Bushy 75	6 00	40 00
PAVIA parviflora. See Æsculus, under Shrubs.		
PHILADELPHUS coronarius. Mock Orange— 2 to 3 ft	n 00	15 00
2 to 3 ft	3 00 4 00	$\begin{array}{ccc} 15 & 00 \\ 25 & 00 \end{array}$
5 to 6 ft	6 00	$\frac{25}{35} \frac{00}{00}$
coronarius, var. aureus. Golden	0 00	99 00
Mock Orange. $1\frac{1}{2}$ to 2 ft. 50	4 00	
coronarius, var. Avalanche—		
3 to 4 ft 75	6 00	
coronarius, var. primuiæ norus—	4 00	
$\frac{2\frac{1}{2}}{3}$ to 3 ft	4 00	07 00
grandiflorus. 3 to 4 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{25}{30} \frac{00}{00}$
4 to 5 ft	5 00	35 00
6 to 8 ft 1 00	7 50	99 00
Lemoinei. (Hybrid.) 3 to 4 ft 50	4 00	30 00
Lemoinei, var. erectus. 2 to 3 ft 35	3 00	20 00
3 to 4 ft 50	4 00	$\frac{25}{2}$ 00
4 to 5 ft	5 00	30 00
Mt. Blanc. $1\frac{1}{2}$ to 2 ft	3 00	20 00
3 to 4 ft 75	5 00	$35 \ 00$
Zeyheri, var. speciosissimus— $\frac{2^1}{2}$ to 3 ft	2.00	90.00
$\frac{2\frac{1}{2}}{3}$ to 3 ft	$\frac{3}{4} \frac{00}{00}$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
5 to 6 ft 75		$\frac{25}{35} \frac{00}{00}$
0 0 0 11 111111111111111111111111111111	0.00	00 00

	Each	10	100
POTENTILLA fruticosa. Shrubby Cinquefoil-		**	000 00
2 to $2\frac{1}{2}$ ft	.\$0 35	\$3 00	$\begin{array}{ccc} \$20 & 00 \\ 25 & 00 \end{array}$
3 to $3\frac{1}{2}$ ft		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 00
$3\frac{1}{2}$ to 4 ft		1 00	00 00
PRUNUS amygdalus communis. Flowering Almond—	. 75	5 00	
amygdalus communis, var. rosea—		0 00	
1½ to 2 ft	. 75	5 00	
PVRIIS arbutifolia Chokeherry 3 to 4 ft	50	3 50	
arbutifolia, var brilliantissima, 2 to 3 ft.	. 50	3 50	$\frac{25}{2} \frac{00}{00}$
3 to 4 ft	. 75 . 35	$\begin{array}{ccc} 5 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
floribunda, var. nigra. 3 to 3½ ft	. 50 50	3 50	$\frac{20}{25} \frac{00}{00}$
$3\frac{1}{2}$ to 4 ft		3 00	
RHAMNUS cathartica. Buckthorn. 3 to 4 ft	F0	3 50	
6 to 8 ft		5 00	40 00
RHODOTYPUS kerrioides. White Kerria—			
$2\frac{1}{2}$ to 3 ft	, 35	3 00	20 00
$3\frac{1}{2}$ to 4 ft	. 50	4 00	25 00
4 to 5 ft. Very heavy		6 00	
RHUS aromatica. Fragrant Sumac. 1½ to 2 ft		2 00	15 00
$\frac{2\frac{1}{2}}{2}$ to $\frac{3}{21}$ ft	. 50 . 75	$\frac{4}{5} \frac{00}{00}$	25 00
3 to $3\frac{1}{2}$ ft	$\frac{19}{35}$	3 00	25 00
3 to 4 ft.		4 00	30 00
4 to 5 ft	. 75	6 00	40 00
6 to 7 ft	. 1 00	8 50	
Cotinus. Mist, or Smoke Tree. 3 to 4 ft	35	3 0 9 4 00	30 00
4 to 5 ft		# 00	80 00
6 to 8 ft			
Cotinus, var. atropurpurea. Purple Mist-			
2 to 3 ft	. 50		
3 to 4 ft. 4 to 5 ft.			
RIBES aureum. Golden Currant. 3 to 4		3 50	
Gordonianum. 3 to 3½ ft		3 00	25 00
ROBINIA hispida. Rose Acacia. 2 to 2½ ft		2 50	20 00
RUBUS Canadensis. 2 to 3 ft			
odoratus. 2 to 3 ft		2.00	
SAMBUCUS Canadensis. 2 to 3 ft	. 35	3 00	20 00
Melanocarpus. 3 to 4 ft	. 75	6 00	
5 to 6 ft	. 1 00	7 50	
nigra, var. aurea. Golden Elder—	. 35	3 00	20 00
2 to 3 ft	50	4 00	25 00
5 to 6 ft. Very heavy	. 75	5 00	40 00
nigra, var. laciniata. Cut-leaved Elder—			
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$. 35		
racemosa Red-fruited-			
2 to $2\frac{1}{2}$ ft	. 50		
3 to 4 ft	. 75	6 00	E0 00
4 to 5 ft	. 1 00	8 50	50 00

		Each	10	100
SPIRÆA	arguta. 2 to 3 ft	\$0 35 50	\$2 50	\$20,00
	Billardii. 3 to 4 ft	$\begin{array}{c} 35 \\ 50 \end{array}$	$\begin{array}{ccc} 3 & 00 \\ 3 & 50 \end{array}$	25 00
	Bumalda. 2 ft	35	3 00	
	$2\frac{1}{2}$ ft. Heavy	50	4 00	
	3 ft	75	6 00	
	Bumalda, var. Anthony Waterer-	95	9 50	15 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	35 50 75	$\begin{array}{ccc} 2 & 50 \\ 4 & 00 \end{array}$	15 00
	callosa. Fortune's Spirea. 2 to 3 ft	35	3 00	,
	callosa, var. alba. 2 to 3 ft	35	3 00	20 00
	Hyb. Margarite. 3 to $3\frac{1}{2}$ ft	35	3 00	25 00
	$3\frac{1}{2}$ to 4 ft	50	4 00	30 00
	Japonica, var. Fortunei rosea. 2 to 3 ft	50	3 50	
	Lindleyana. 3 to 4 ft.	50	4 00	25 00
	opulifolia. 3 to 4 ft	$\frac{35}{50}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00
	5 to 6 ft. Heavy	75	$\overline{6}$ $\overline{00}$	35.00
	6 to 7 ft	1 00	8 50	50 00
	opulifolia, var. aurea. Golden-leaved— 2 to 3 ft	35	3 00	20 00
	4 to 5 ft	50	4 00	
	6 to 7 ft. Heavy prunifolia flore pleno. Bridal Wreath—	75	6 00	
	3 to 4 ft	50	3 00	25 00
	Reevesiana. 2 to 3 ft	35	. 3 00	20 00
	3 to 4 ft. 4 to 5 ft.	$\begin{array}{c} 50 \\ 75 \end{array}$	$\frac{4}{6} \frac{00}{00}$	$\begin{array}{ccc} 25 & 00 \\ 35 & 00 \end{array}$
	salisifolia. 2 to 3 ft.	35	2 50	20 00
	3 to 4 ft	50	$\overline{3}$ $\overline{50}$	25 00
	Sorbifolia. $2\frac{1}{2}$ to 3 ft	50	3 50	
	Thunbergii. Thunberg's Spirea—			00.00
	$1\frac{1}{2}$ to 2 ft	35 50	$egin{array}{c} 3 & 00 \ 3 & 50 \end{array}$	20 00
	3^2 to $3\frac{1}{2}$ ft. Very heavy	75	4 00	
	Van Houttei. $2\frac{1}{2}$ to 3 ft	35		
	3 to 3½ ft EINIE	$\frac{50}{75}$	$\frac{4}{5} \frac{00}{00}$	35 00
	5 to 6 ft.	1 00	8 50	50 00
STAPHY	3 to $3\frac{1}{2}$ ft 4 to 5 ft 5 to 6 ft 6 to 7 ft. LEA Bumalda. 3 to $3\frac{1}{2}$ ft	1 50 50	$\begin{array}{ccc} 12 & 50 \\ 4 & 00 \end{array}$	75 00
STEPHA	NANDRA flexuosa. 2 to $2\frac{1}{2}$ ft	35	3 00	20 00
	$2\frac{1}{2}$ to 3 ft. Heavy	$\frac{50}{75}$	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
CTVDAY		75	6 00	10 00
SITHAX	Japonica. 4 to 5 ft	1 00	7 50	50 00

PRICE LIST FOR SPRING OF 1915		45
SYMPHORICARPUS racemosus. Snowberry— Each	10	100
2 to $2\frac{1}{2}$ ft	\$2 50	\$20 00
$3 \text{ to } 3\frac{1}{2} \text{ ft. } \dots 75$	5 00	
vulgaris. Coral Berry—		40 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 12 & 50 \\ 15 & 00 \end{array}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6 00	20 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7 00	$\frac{20}{25} \frac{00}{00}$
SYRINGA Chinensis; syn. Rothomagensis. Rouen	• • •	
Lilac. 2 to 2½ ft	3 00	20 00
3 to 4 ft	4 00	25 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	12 50	
Josikæa. 2 to $2\frac{1}{2}$ ft	$\frac{4}{7} \frac{00}{50}$	
3 to 4 ft	1 30	
Persica. 3 to 4 ft		
Persica, var. alba. 3 to 4 ft 75	6 00	30 00
villosa. 3 to $3\frac{1}{2}$ ft	4 00	
4 to 5 ft. Specimens 1 00	7 50	
villosa, var. Emodi. 2 to $2\frac{1}{2}$ ft 50	4 00	30 00
vulgaris. Common Lilae. $1\frac{1}{2}$ to 2 ft 35	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{4}{6} \frac{00}{00}$	40 00
5 to 6 ft \$\ldot \\$150 to 350	0 00	20 00
Vulgaris alba. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 50$	4 00	35 00
3 to 3½ ft	6 00	40 00
4 to 6 ft		
vulgaris, named varieties—		
alba grandiflora (Single, white)— 3 to 4 ft		
3 to 4 ft		
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots$	3 50	
3 to $3\frac{1}{2}$ ft	6 00	
4 to 4½ ft 1 25	10 00	
La Tour d'Auvergne. Double, violet- purple. 4 to 5 ft		
purple. 4 to 5 ft		
3 to 4 ft		
Marie LeGraye. Single, white-		
$\frac{2^{\frac{1}{2}}}{2^{\frac{1}{2}}}$ to $\frac{3}{2}$ ft	6 00	
$\frac{3}{4}$ to $\frac{31}{2}$ ft $\frac{1}{2}$ 00	8 50	
4 to $4\frac{1}{2}$ ft 1 50 Marc Micheli. Double, lilac-blue—	12 50	
4 to 5 ft 1 50		
Michael Buchner. Double, pale lilac-		
3 to 4 ft 1 00		
4 to 5 ft 1 50		
President Carnot. Double, light lilac-		
4 to 5 ft 1 50 President Grevy. Double, blue—		
3 to 4 ft 1 00		
President Loubet. Double, reddish		
President Loubet. Double, reddish carmine. 3 to 4 ft 1 00		
Rubra de Mariey. Single, reddish purple—	4.00	20.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{4}{7} \frac{00}{50}$	30 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1 00	

			100
SYRINGA Souvenir de Ludwig Spæth. Single red-	Each	10	100
3 to $3\frac{1}{2}$ ft	0 50		
$3\frac{1}{2}$ to 4 ft	75		
4 to $4\frac{1}{2}$ ft	1 00		
Verschaffelti. Single Dark Red. 4 to 5 ft.	2 00		
TAMARIX Africana; syn., parviflora—	F0	@4 AA	
4 to 5 ft. 5 to 6 ft.	$\begin{array}{c} 50 \\ 75 \end{array}$	$\begin{array}{ccc} \$4 & 00 \\ 5 & 00 \end{array}$	
Gallica. 2 to 3 ft.	35	- 3 00	
3 to 4 ft	50	4 00	
Gallica, var. Indica. 4 to 5 ft	75	5 00	
Japonica plumosa. 3 to 4 ft	50	4 00	
VACCINIUM corymbosum. Swamp Huckleberry-			
$\frac{1}{2}$ to $\frac{2}{2}$ ft	75	7 00	60 00
	1 00	9 00	85 00
VIBURNUM acerifolium. $1\frac{1}{2}$ to 2 ft	35	$\frac{3}{4} \frac{00}{00}$	$\begin{array}{ccc} 25 & 00 \\ 35 & 00 \end{array}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-50	$\frac{4}{6} \frac{00}{00}$	50 00
cassanoides. White Rod. 2 to $2\frac{1}{2}$ ft. \bigstar .	50	4 50	35 00
3 to $3\frac{1}{2}$ ft. Very heavy	75	$\vec{6}$ $\vec{0}\vec{0}$	50 00
	1 00	7 50	
dentatum. Arrow-wood. $3\frac{1}{2}$ to 4 ft	75	6 00	40.00
	$egin{smallmatrix} 1&00\1&25 \end{smallmatrix}$	$\begin{array}{ccc} 8 & 50 \\ 10 & 00 \end{array}$	$\frac{40}{60} \frac{00}{00}$
	$\frac{1}{1} \frac{29}{50}$	$\frac{10}{12} \frac{50}{50}$	80 00
dilatatum. Japan Bush Cranberry—			
$1\frac{1}{2}$ to 2 ft	75	5 00	
-2	1 00	7 50	
Lantana. Wayfaring Tree-	50	4.00	35 00
$3\frac{1}{2}$ to 4 ft.; heavy	50 75	$\frac{4}{6} \frac{00}{00}$	50 00
	1 00	8 50	00 00
Lentago. Sheep-berry. 2 to 3 ft	50	4 00	30 00
4 to 5 ft	75	6 00	
	$egin{smallmatrix} 1&00\1&50 \end{smallmatrix}$	$\begin{array}{c} 8 & 50 \\ 12 & 50 \end{array}$	
molle. 3 to 4 ft.	50	4 00	
4 to 5 ft.	$\frac{50}{75}$	6 00	
5 to 6 ft	1 00	8 50	75 00
6 to 7 ft	1 50	12 50	100 00
Opulus. High Cranberry Bush—	<u>.</u> .	0. 50	90.00
$\begin{array}{c} 2 \text{ to } 2\frac{1}{2} \text{ ft.} \\ 3 \text{ to } 4 \text{ ft. Fine} \end{array}$	50 60	$\begin{array}{ccc} 3 & 50 \\ 4 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 to 5 ft. Fine	75	6 00	50 00
5 to 6 ft. Fine	1 00	8 50	75 00
	1 25	10 00	90 00
Opulus, var. sterile. Guelder Rose—	50	4 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	75	6 00	40 00
	1 00	7 50	50 00
plicatum. Japanese Snowball—	12.5		
2 to 3 ft	$\frac{50}{75}$	4 00	35 00
3 to 4 ft	75	5 00	40 00

PRICE LIST FOR SPRING OF 1913	47
Each 10	100
VIBURNUM plicatum, var. tomentosum. Single Japan Snowball. 2½ to 3 ft\$0 35 \$3 00	\$25 00
3 to $3\frac{1}{2}$ ft	35 00
4 to 5 ft.; extra fine	45 00
5 to 6 ft. Specimens. Fine 1 00 7 to 8 ft. Specimens. Fine 2 50	
7 to 8 ft. Specimens. Fine 2 50 A beautiful shrub, deserving	
extensive planting. prunifolium. Black Haw—	
3 to $3\frac{1}{7}$ ft	60 00
$3\frac{1}{2}$ to 4 ft	85 00
4 to 6 ft	65 00
5 to 6 ft	100 00
VITEX Agnus-castus. Chaste Tree. 3 to 4 ft 50 3 00	20 00
Agnus-castus, var. alba. 2½ to 3 ft 50 3 00	20 00
XANTHOCERAS sorbifolia. 3 to 4 ft	
4 to 5 ft	
	10 00
6 to 8 in. In clumps 35 2 75	12 50
	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$
12 to 18 in. In clumps 75 5 00	20 00
REEDS and GRASSES	
Each	10
ARUNDO Donax. Clumps\$0 50	\$3 50
BAMBUSA Metake 50	3 50
ELYMUS glaucus	1 50
ERIANTHUS Ravennæ	3 50
EULALIA Japonica, and vars. variegata, gracillima univittata,	3 50
FESTUCA glauca 25	1 50
FESTUCA glauca	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$
FESTUCA glauca	1 50
FESTUCA glauca Clumps 50 PHALARIS arundinacea, var. variegata. Ribbon Grass 25 UNIOLA latifolia 25	1 50 1 50 1 50
FESTUCA glauca Clumps 50 PHALARIS arundinacea, var. variegata. Ribbon Grass 25 UNIOLA latifolia 25	1 50 1 50 1 50
FESTUCA glauca	1 50 1 50 1 50 1 50
FESTUCA glauca	1 50 1 50 1 50 1 50 NTS
FESTUCA glauca	1 50 1 50 1 50 1 50 NTS
FESTUCA glauca	1 50 1 50 1 50 1 50 NTS 10 \$3 50 3 50 3 50
PHALARIS arundinacea, var. variegata, gracillima univitata, zebrina. Clumps 50 FESTUCA glauca 25 PHALARIS arundinacea, var. variegata. Ribbon Grass 25 UNIOLA latifolia 25 VINES, CLIMBING and TRAILING PLA ACTINIDIA polygama. 6-in. pots. \$0 50 AKEBIA quinata. From 4-in. pots. 50 AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. 50 3-year, field-grown; heavy 25	1 50 1 50 1 50 1 50 NTS 10 \$3 50 3 50 3 50 2 00
Zebrina. Clumps 50 FESTUCA glauca 25 PHALARIS arundinacea, var. variegata. Ribbon Grass 25 UNIOLA latifolia 25 VINES, CLIMBING and TRAILING PLA ACTINIDIA polygama. 6-in. pots. \$0 50 AKEBIA quinata. From 4-in. pots. 50 AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. 50 3-year. field-grown: heavy 25 quinquefolia, var. Engelmanni. 5-in. pots; heavy 25	1 50 1 50 1 50 1 50 NTS 10 \$3 50 3 50 2 00 3 00
PHALARIS arundinacea, var. variegata, gracillima univittata, zebrina. Clumps 50 FESTUCA glauca 25 PHALARIS arundinacea, var. variegata. Ribbon Grass 25 UNIOLA latifolia 25 VINES, CLIMBING and TRAILING PLA ACTINIDIA polygama. 6-in. pots \$0 AKEBIA quinata. From 4-in. pots 50 AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots 50 3-year, field-grown; heavy 25 quinquefolia, var. Engelmanni. 5-in. pots; heavy 35 3-year, field-grown; heavy 25	1 50 1 50 1 50 1 50 NTS 10 \$3 50 3 50 3 50 2 00
PHALARIS arundinacea, var. variegata, gracillima univittata, zebrina. Clumps 50 FESTUCA glauca 25 PHALARIS arundinacea, var. variegata. Ribbon Grass 25 UNIOLA latifolia 25 VINES, CLIMBING and TRAILING PLA ACTINIDIA polygama. 6-in. pots \$0 AKEBIA quinata. From 4-in. pots 50 AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots 50 3-year, field-grown; heavy 25 quinquefolia, var. Engelmanni. 5-in. pots; heavy 35 3-year, field-grown; heavy 25	1 50 1 50 1 50 1 50 NTS 10 \$3 50 3 50 2 00 2 00 3 00
PHALARIS arundinacea, var. variegata, gracillima univittata, zebrina. Clumps 50 FESTUCA glauca 25 PHALARIS arundinacea, var. variegata. Ribbon Grass 25 UNIOLA latifolia 25 VINES, CLIMBING and TRAILING PLA ACTINIDIA polygama. 6-in. pots. \$0 AKEBIA quinata. From 4-in. pots. 50 AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. 50 3-year, field-grown: heavy 25 3-year, field-grown: heavy 25 tricuspidata; syn., Veitchi. Japan or Boston Ivy; 4-in. pots; heavy 35 2-year, field-grown: heavy 35	1 50 1 50 1 50 1 50 NTS 10 \$3 50 3 50 2 00 2 00 3 00 2 00
PHALARIS arundinacea, var. variegata, gracillima univitata, zebrina. Clumps 50 FESTUCA glauca 25 PHALARIS arundinacea, var. variegata. Ribbon Grass 25 UNIOLA latifolia 25 VINES, CLIMBING and TRAILING PLA ACTINIDIA polygama. 6-in. pots. \$0 50 AKEBIA quinata. From 4-in. pots. 50 AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. 50 3-year, field-grown; heavy 25 quinquefolia, var. Engelmanni. 5-in. pots; heavy. 25 tricuspidata; syn., Veitchi. Japan or Boston Ivy; 4-in. pots; heavy. 25 ARISTOLOCHIA Sipho. Dutchman's Pipe Vine. 5-in. pots. 75	1 50 1 50 1 50 1 50 NTS 10 \$3 50 3 50 2 00 2 00 3 00
PHALARIS arundinacea, var. variegata, gracillima univitata, zebrina. Clumps 50 FESTUCA glauca 25 PHALARIS arundinacea, var. variegata. Ribbon Grass 25 UNIOLA latifolia 25 VINES, CLIMBING and TRAILING PLA ACTINIDIA polygama. 6-in. pots. \$0 50 AKEBIA quinata. From 4-in. pots. 50 AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. 50 3-year, field-grown; heavy 25 quinquefolia, var. Engelmanni. 5-in. pots; heavy. 25 tricuspidata; syn., Veitchi. Japan or Boston Ivy; 4-in. pots; heavy. 25 ARISTOLOCHIA Sipho. Dutchman's Pipe Vine. 5-in. pots. 75	1 50 1 50 1 50 1 50 NTS 10 \$3 50 3 50 2 00 2 00 2 00 2 00 6 00
PHALARIS arundinacea, var. variegata, gracillima univitata, zebrina. Clumps 50 FESTUCA glauca 25 PHALARIS arundinacea, var. variegata. Ribbon Grass 25 UNIOLA latifolia 25 VINES, CLIMBING and TRAILING PLA ACTINIDIA polygama. 6-in. pots. \$0 50 AKEBIA quinata. From 4-in. pots. \$0 50 AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. 50 3-year, field-grown: heavy 25 quinquefolia, var. Engelmanni. 5-in. pots; heavy. 35 3-year, field-grown: heavy 25 tricuspidata; syn., Veitchi. Japan or Boston Ivy; 4-in. pots; heavy. per 100, \$15. 25 ARISTOLOCHIA Sipho. Dutchman's Pipe Vine. 5-in. pots. 75	1 50 1 50 1 50 1 50 NTS 10 \$3 50 3 50 2 00 2 00 3 00 2 00

	Each	10
CELASTRUS scandens. False Bitter-sweet-		
2 to 3 ftper 100, \$20. 3 to 5 ft.; heavy; field-grown	. 75	5 5 00
CLEMATIS coccinea. 4-in. pots	. 3	5 3 00
CLEMATIS coccinea. 4-in. pots	. 1 00	7.50
Large-flowering varieties.—Fairy Queen, Gem	,	
Jeanne d'Arc. Duchess of Edinburgh, Ker	-	
mesina, Lady Neville, Lilacina floribunda Madame Van Houtte, Miss Bateman, Presi	,	
Madame Van Houtte, Miss Bateman, Presi	- . 50	0 4 00
dent	. 30	
5-in. pots; fineper 100, \$25.	50	3 50
Virginiana. Wild Clematis	. 50	0 4 00
DOLICHOS See Pueraria.		
EUONYMUS radicans. 1 ft.; field-grownper 100, \$15.	. 2	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
1½ to 2 ft.; field-grownper 100, \$20. radicans, var. variegata. 1 ft.; field-grown	3	
radicans, var. Carrieri (large leaf)—	. 4	9 2 00
$1\frac{1}{2}$ to 2 ftper 100, \$35.	. 5	0 4 00
HEDERA Helix. English Ivy. 4-in. potsper 100, \$20.	. 3	
LATHYRUS latifolius. Everlasting Pea	. 3	
LONICERA Japonica. Honeysuckle. 4-in. pots. per 100, \$20.		
3-year; field-grown		5 3 00
grown: 4-in, pots per 100, \$20.	. 3	5 3 00
Japonica, var. aurea reticulata. 4-in. pots	. 3	5 3 00
Japonica, var. Chinensis. Purplish green foliage— 4-in. pots		5 3 00
Heavy, field-grown	. 3	
Japonica, var. Halleana. 4-in. pots. per 100, \$20.	. 3	
3-year old, field-grownper 100, \$15. sempervirens, var. fuchsioides. Scarlet Trumpet-	$\cdot ^{-2}$	5 2 00
6-in pots	. 5	0 4 00
PERIPLOCA Græca. Silk Vine. Field-grown		5 3 00
6-in. pots	. 5	
PUERARIA Thunbergiana. Kudzu Vine		
VITIS æstivalis. Summer Grape		
heterophylla, var. variegata		
riparia. Frost Grape	. 5	0 3 50
WISTARIA Chinensis. Chinese Wistaria-	٠	
2 to 3 ft.; in large pots	$\begin{array}{c} \cdot & 1 & 5 \\ \cdot & 2 & 5 \end{array}$	
6 to 8 ft.; field-grown		
Chinensis (Standards). 4 to 5 ft	. 25	
6 to 7 ft	$egin{smallmatrix} . & 3 & 5 \\ o & 2 & 5 \end{smallmatrix}$	
5 to 7 ft	$\stackrel{\scriptstyle 0}{_{\sim}}\stackrel{\scriptstyle 2}{_{\sim}}\stackrel{\scriptstyle 5}{_{\sim}}$	
5 to 7 ft	0 2 5	0
multijuga. 3 to 4 ft.; field-grown\$1.50 t	$\begin{array}{cccc} . & 1 & 5 \\ 0 & 3 & 5 \end{array}$	
multijuga, var. alba. Field-grown. 3 to 4 ft	. 1 0	
4 to 6 ft\$1 50 t	0 3 5	0

10

STRAWBERRIES, Early—Bederwood, Marshall; Medium—Bubach, Glen Mary, Sharpless, Late—Brandywine, Gandy, Runners, per 100, \$2: per 1,000, \$7.50. Potted plants, per 100, \$3 to \$4.

ESCULENT ROOTS

ROSES

N. BPotted unless noted. Special prices per hundred.	
11. B.—Potted unless noted. Special prices per nundred.	
AUSTRIAN BRIERS—Harrison's Yellow and Persian Yellow\$0 40	10 \$3 50
SWEETBRIER—Rosa rubignosa	3 50
Penzance, Meg Merrilies, Minna	4 50
BUSH—Blanda, Carolina, canina, lucida, lucida var alba mul-	4 50
tiflora, nitida, rubrifolia, field-grown	3 00
ruby carmine; Lady Gay, cerise pink; Tau-	
sendschon soft pink; White Dorothy, white. 50	4 00
sendschon soft pink; White Dorothy, white. 50 Setigera. Prairie Rose. 2 to $2\frac{1}{2}$ ft.; field grown 35	3 00
EVERBLOOMING Hybrid Teas—Bessie Brown, creamy white; Betty, ruddy gold; Captain Christy, flesh; Caroline Testout, rose; Countess of Cale-	3 00
don, carmine; Duchesse of Albany, deep pink; Gladys Harkness, salmon-pink; Gruss an Teplitz, crimson; Kaiserine Au-	
guste Victoria, primrose; Killarney, pink; La France, rose; Madame Ravary, yellow;	
Souvenir du President Carnot, flesh-rose;	111110
Viscountess Folkestone, creamy pink	4 50
antha), rosy white; etoile de Lyon (Tea),	
yellow; Francisca Kruger (Tea), yellow-	
peach; Francis Dubreuil (Tea), crimson;	
Harry Kirk, deep sulphur yellow; Maman	
Cochet (Tea), rosy white; Souvenir de la	
Malmaison (Bourbon), flesh; White Maman Cochet (Tea), white	4 50
HYBRID Perpetual—Alfred K. Williams, carmine-red; Baroness	4 90
Rothschild, rose; Captain Hayward, carmine-crim-	
son; Clio, flesh; Eugene Verdier, rose-flesh; Frau	
Karl Druschki, white; General Jacqueminot, scar-	
let; Lady Helen Stewart, crimson-scarlet; Louis	
Van Houtte, red-crimson; Magna Charta, rose;	
Madame Gabriel Luizet, silvery pink; Margaret	
Dickson, white; Mrs. R. G. Sharman-Crawford, rose-pink; Mrs. John Laing, pink; Paul Neyron,	1
deep rose; Prince Camille de Rohan, deep crimson;	
Ulrich Brunner, cherry crimson	4 00
MOSS—Blanche Moreau, white; Crimson Globe, deep crim-	
son; Zenobia, rose	4 00

RUGOSA ROSES

DOCA 0 1 01 01	95	en	00	600 00
ROSA rugosa. 2 to $2\frac{1}{2}$ ft\$0	35	\$3	00	\$20 00
$2\frac{1}{2}$ to 3 ft	50	4	00	35 00
$\overline{3}$ to $3\frac{1}{2}$ ft	75	6	00	50 00
0 10 02 11.				
rugosa, var. alba. 2 to $2\frac{1}{2}$ ft	50		00	25 00
$2\frac{1}{2}$ to 3 ft	75	6	00	50 00
rugosa hybrids atropurpurea—Atropurpurea,				
Blanc Double de Coubert, Conrad F.				
Meyer, Madame Georges Bruant, Madam				
Charles Worth, Mrs. A. Waterer. Pot-				
	50	1	00	
grown	90		00	
WICHURAIANA ROSES				
ROSA Wichuraiana. The Trailing Rose. 2 to 3 ft. \$0	25	\$2		
2 to 3 ft. In 4-in. pots	35	3	00	\$25 00
hybrids—Evergreen Gem. Gardenia, Manda's				
Triumph, Pink Roamer, South Orange				
Perfection, Universal Favorite. In pots.	50	3	50	
	00	U	00	
SINGLE ROSES, Dickson's Hybrids-New Irish				
Beauty, Irish Glory, Irish				
Modesty, Irish Bright-				
	75	e	00	
ness+	75	0	00	

HARDY HERBACEOUS PLANTS

ACHILLEA eupatorium (Fern-leaved Tarrow). All			
summer. 4 to 5 ft\$0 filipendulina (Noble Yarrow). July.	15	\$1.25	
Golden Yellow. 2 ft	15	1 25	\$10 00
millefolium roseum (Rosy Milfoil).			Ψ10 00
July to September. Pink. 1½ ft. millefolium roseum var. Cerise Queen.	15	1 25	
June to September. Amaranth-			
red. $1\frac{1}{2}$ ft	25	2 00	
ptarmica (The Pearl). All summer. White. 2 ft	15	1 25	10.00
ptarmica var. Boule de Neige (Ball of	10	1 20	10 00
Snow). July to September. White.			
2 fttomentesum (Wooly Yarrow), June.	25	2 00	
Yellow. 1 ft	25	2 00	
ACONITUM Bicolor. July to September. Blue and		2	
white. 2 ft	35	2 50	
October. Blue. 3 ft	35	2 50	15 00
Lycoctonum (Wolf's Bane). June to	0-	0 -0	
September. Yellow. 3 ft Napellus albus. August to September.	35	2 50	
White. 2 ft	35	2 50	
ACANTHUS mollis (Bear's Breech). August and	35	0 -0	
September. Rose. 3 ft ADONIS Amurensis fl. pl. April and May. Yellow.	30	2 50	
1 ft	65	5 00	
AJUGA Genevensis. May. Bright blue. 6 in reptans rubra (Bugle). May. Purplish	25	1 50	12 50
blue. 6 in	25	1 50	12 50



Partial view of Herbaceous Plantations

ALTHÆA rosea (Hollyhock). July. Various			
colors. 4 to 6 ft	25	\$1 50	\$12 50
rosea, var. Allegheny Fringed	25	1 50	12 50
ALYSSUM rostratum, June and July. Golden Yel-			
low. 1 ft,	35	2 50	
saxatile compactum (Golden Tuft). May	00	_ 00	
and June. Yellow. 1 ft	25	1.50	12 50
ANCHUSA Italica, var. Dropmore. (Alkanet.) New	20	1 00	1.2 00
May and June. Blue. 3 to 4 ft	25	2 60	
ANEMONE (Windflower) Japonica. September Red.	20	2 00	
	25	1 50	12 50
2 to 3 ft	$\frac{25}{25}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12^{-50}_{-50}
Japonica, var. alba. Fall. White. 2 to 3 ft.	43	1 90	12 50
Japonica, var. Queen Charlotte. Fall.	0×	0.00	45 00
Rose. 2 to 3 ft	25	2 00	15 00
Japonica, var. Lady Ardilaun. Fall.	٥-	0.00	4 F 00
White. 2 to 3 ft	25	2 00	15 00
Japonica, var. Prince Henry. Fall. Rich	~~	2 22	
deep pink. 2 to 3 ft	25	2 00	
Japonica, var. rosea superba. Fall.			
Silvery rose. 2 to 3 ft	25	2 00	
ANEMONE Japonica, var. Whirlwind. Fall. Pure			
white. 2 to 3 ft	25	2 00	15 00
Pennsylvanicum. June and July. White. 1 to 2 ft.	25	1 50	12 50
Pulsatilla (Pasque Flower). May. Violet-pur-			
ple. 9 in	25	1 50	12 50
sylvestris. May. Pure white. 1 to 1\frac{1}{2} ft	25	1 50	12 50
ANTHEMIS tinctoria (Chamomile). June to Sep-			
tember. Golden Yellow. 2 ft	25	1 50	10 00
AQUILEGIA baicalense. May to July. Blue and		2 00	
white. 18 in	25	1 50	12 50
Canadensis. (Common Columbine). May to	,		
July. Scarlet and Yellow. 1 to 2 ft	25	1.50	10 00
ouly. Scarlet and Tellow. I to 2 tt., 1, 1, 1	_0	1 00	

	ach	10	100
AQUILEGIA Chrysantha. May to August. Golden Yellow 3 ft	25	\$2 00	\$12 50
cærulea (Rocky Mountain Columbine). May to July. Blue. 18 in	25	2 00	12 50
flabellata, var. nana alba. April to June. White. 1 ft	25	2 00	
nivea grandiflora. April to June. White.	25	2 00	12 50
2 to 3 ft	25	2 00	12 50
truncata. May and June. Scarlet, yellow- tipped. 2 ft.	25	2 00	12 50
ARABIS alpina (Rock Cress). April and May.			
White. 4 in	$\begin{array}{c} 25 \\ 35 \end{array}$	$\begin{array}{ccc} 1 & 50 \\ 2 & 50 \end{array}$	10 00
ARENARIA montana, var. grandiflora (Sandwort). May and June. White. 6 in	25	1 50	12 50
ARMERIA maritima, var. alba (Thrift). Summer. White. 9 in	25	1 50	10 00
maritima, var. splendens. Summer Rose. 9 in.	$\frac{1}{25}$	1 50	12 50
ARTEMISIA abrotanum (Old Man). Silvery white foliage. 2 ft	25	1 50	10 00
Stelleriana (Old Woman). Silvery foliage. 2 ft.	25	1 50	10 00
ASCLEPIAS tuberosa (Butterfly Weed). July and August. Orange. 2 ft	25	1 50	10 00
ASTER alpinus. June and July. Purple. 9 in Amelius elegans. September and October. Blue.	25	1 50	10 00
1½ ft	25	1 50	10 00
ASTER (Michælmas Daisy) amethystinus. September and October. Amethyst. 3 to 4 ft	25	1 50	10 00
grandiflorus. October and November. Violet- blue. 2 ft	35	2 50	20 00
Lady Trevelyan. September and October. White. 3 ft	25	1 50	10 00
laevis. September. Blue. 4 ft	25	1 50	10 00
Madonna. September and October. White. 4 ft. Novæ Angliæ. September and October. Purple.	25	1 50	10 00
4 ft	25	1 50	10 00
October. Bright rose. 4 ft ptarmicoides. August and September. White.	25	1 50	10 00
Robert Parker. September and October. Laven-	25	1 50	10 00
der. 4 ft	25	1 50	10 00
Snowflake. September and October. Pure white; very free. 1½ ft	25	1.50	10.00
Tataricus. October and November. Purple 5 ft. Trinervius. October and November. Violet-	25	1 50	10 00
purple. $2\frac{1}{2}$ ft	25	1 50	10 00
White Queen. September and October, White.	25	1 50	10 00
ASTILBE Japonica (Spirea). June. White. $1\frac{1}{2}$ ft.	25	1 50	10 00

	Each	. 10	100
ASTRANTIA major (Masterwort). June and July. Pale pink. 1 ft\$	25	\$2 50	\$20 00
AUBRETIA Hendersoni (False Wall Cress). April. Purplish violet. 4 in	25	1 50	12 50
BAPTISIA australis (False Indigo). June and July. Dark blue. 2 ft.	25	1 50	10 00
tinctoria. June and July. Bright yellow.			
2 to 3 ft BELEMCANDA Chinensis; syn., Pardanthus. June.	25	. 1 50	10 00
Orange-red. 4 ft	25	1 50	10 00
pink. 6 to 8 in	25	1 50	10 00
BETONICA. See Stachys.			
BOCCONIA cordata (Plume Poppy). July and August. White. 5 ft	25	1 50	12 50
BOLTONIA asterioides (False Chamomile). August			
and September. White. 4 ft	25	1 50	10 00
lilac. 4 ft	25	1 50	10 00
CALIMERIS incisa (Starwort). July to September Light blue. 18 in	25	1 50	10 00
CALLIRHOË involuerata (Poppy Mallow), All	40	1 50	10 00
summer. Rosy crimson. 1 ft	25	1 50	10 00
CAMPANULA Carpatica (Carpathian Harebell). June to September. Blue. 9 in	25	1 50	10 00
Carpatica, var. alba. June to September. White.	20	1 50	10 00
9 in.	$\begin{array}{c} 25 \\ 35 \end{array}$	$\begin{array}{c} 1 & 50 \\ 2 & 50 \end{array}$	10 00
Mærheimi. May to July. White. 2 to $2\frac{1}{2}$ ft	39	2 50	
persicifolia (Peach Bells). June and July. Blue. 18 in	25	1 50	10 00
persicifolia alba. June and July. White. 18 in.	25	1 50	10 00
pyramidalis (Chimney Bellflower). August and September. Blue. 2 fttrachelium (Coventry Bells). Purple. June	25	1 50	10,00
and July. 3 ft	25	1 50	10 00
CENTAUREA montana (Perennial Cornflower). June and July. Dark purple. 1½ ft	~~		
June and July. Dark purple. 1½ ft montana, var. alba. White form of the above.	$\frac{25}{25}$	1 50 1 50	10 00
CERASTIUM tomentosum. June and July. White.		1 00	
6 in	25	1 50	12 50
CERATOSTIGMA plumbaginoides (Plumbago). October and November. Blue. 6 in	25	2 00	15 00
CHELONE Lyoni (Turtlehead). August and Septem-	35	2 50	
ber. Rose-purple. 2 ft	99	2 50	
(Shasta Daisies). Alaska, California, Westralia. All summer. White. 2 ft	35	2 50	15 00
maximum, var. Triumph (Moonpenny Daisy).			
July to October. White. 2 ft	25	1 50	12 50
2 ft	35	2 50	

	lach	10	100
CHRYSANTHEMUM Pompon Varieties. Fall. All colors. 1½ to 2 ft	25	\$1 50	\$10 00
Pompon Varieties, Heavy Stock	25	$\frac{1}{2} 00$	15 00
Pompon Varieties, Heavy Stock	25	1 50	10 00
Vallow 1 ft	25	1 50	12 50
Yellow. 1 ft			
Yellow. 2 H	25	2 00	15 00
CIMICIFUGA acerinum. August and September. White. $2\frac{1}{2}$ ft	35	2 50	
Dahurica (Bughane) August and Sentember	99		
White. 2 to 3 ft. racemosa (Snakeroot). July White, 3 to 5 ft.	35	$\frac{2}{1} \frac{50}{50}$	15 00
CINERARIA. See Artemisia.	25	1 50	12 50
CLEMATIS crispa (Leather-flower). June to Sep-			
tember. Lavender. 3 to 4 ft	25	1 50	12 50
Davidiana. August and September. Blue.	25	1 50	12 50
Fragrant. 3 ft	20	1 30	12 50
4 10 5 H	25	1 50	12 50
CONOCLINIUM cœlestinum (Mist-flower). September and October. Deep blue. 18 in	25	1 50	12 50
CONVALLARIA majalis (Lily-of-the-Valley). May	20	1 50	12 50
and June. White, 6 to 9 in	25	2 00	15 00
COREOPSIS lanceolata (Tickseed). June to October. Golden yellow. 2 ft	15	1 25	10 00
Rosea. June to September. Pink. 8 to 10 in	$\frac{15}{15}$	$\frac{1}{1} \frac{25}{25}$	10 00
CORUNILLA varia (Crown Vetch). June and Octo-			10 50
ber. Pink. 1 to 2 ft	25	1 50	12 50
DELPHINIUM Chinense (Larkspur). July to September. Blue. 1½ ft	25	1 50	10 00
Chinense, var. album. July to September. White.		4 20	40.00
1½ ft elatum (Bee Larkspur). June to August. Blue.	25	1 50	10 .00
4 ft.	25	1 50	10 00
4 ft. formosum (Larkspur). June to September.	0.2		40.00
Deep blue. 4 ft	25	1 50	10 00
Turquoise blue: very free. 3 ft	35	3 00	25 00
DIANTHUS barbatus (Sweet William). May to July.	-		40.00
Mixed colors. 1½ ft	$\begin{array}{c} 25 \\ 25 \end{array}$	1 50 1 50	$\frac{10}{10} \frac{00}{00}$
latifolius Tune to September Red 1 ft	25	1 50	10 00
plumarius (Hardy Pinks.). May and June. 1 ft.	25	2 00	15 00
plumarius (Hardy Pinks.). May and June. 1 ft. Delicata. Rose, with fringed petals. Laura Wilmer. White, with maroon center. Her Majesty. White. Stanislaus. Violet-rose, with crimson center. DICENTRA eximia (Seal-flower). June to August.			
Her Maiesty. White, with maroon center.	•		
Stanislaus. Violet-rose, with crimson center.			
DICENTRA eximia (Seal-flower). June to August.	25	1.50	10 00
spectabilis (Bleeding-heart). May and June.	20	1 00	10 00
Pink. 1 ft	25	2 00	. 12 50
Pink, 2 to 3 ft	25	2 00	15 00
purpurea (Common Foxglove). June and July.		2 00	
Mixed colors. 4 to 5 ft	25	1 50	10 00
purpurea, var. gloxiniæflora. June and July. Mixed colors, 4 to 5 ft	25	1 50	10 00
Mined Colors. 4 to 5 ft	20	1 00	10 00

DODOWALL ALL DE LA COMPANIA DE LA CO	Each	10	100
DORONICUM Austriacum. April and May. Yellow.	0 35	\$2 50	\$15 00
2 ft	35	2 50	15 00
to September. Rosy purple. 3 ft	25	2 00	15 00
EPIMEDIUM coccineum (Barren-wart). May and		_ ~ ~	10 00
June. Red. 9 inlilacea. May and June. Lilac. 9 in	$\begin{array}{c} 25 \\ 25 \end{array}$	$\frac{2}{2} \frac{00}{00}$	
lilacea. May and June. Lilac. 9 in	$\frac{25}{25}$	$\begin{array}{cccc} 2 & 00 \\ 2 & 00 \\ 2 & 00 \\ 2 & 00 \end{array}$	
ERIGERON speciosus (Fleabane). June to August.	25	2 00	15 00
Violet-blue. $1\frac{1}{2}$ to 2 ft			15 00
September. Amethyst-blue. 2 ft EUPATORIUM ageratoides (White Snakeroot). Sep-	35	2 50	
tember and October. White. 3 ft cœlestinum. Fall. Light blue. 2 ft	25 25	1 50 1 50	12 50
EUPHORBIA corollata (Spurge). July to Septem-			
ber. White. $1\frac{1}{2}$ ft	25	1 50	12 50
15 in. FUNKIA Fortunei (Day Lily), July to August. Blue.	25	1 50	10 00
$1\frac{1}{2}$ to 2 ft	25	1 50	12 50
ovata. July to August. Deep blue. 1½ to 2 ft. subcordata, var. gradiflora. September. White.	25	1 50	12 50
Fragrant. 2 ft. undulata, var. media picta variegata. July and	25	2 00	15 00
August. Lilac. I ft	25	1 50	12 50
GAILLARDIA grandiflora (Blanket-flower). June to November. Yellow. $1\frac{1}{2}$ ft	25	1 50	10 00
GALEGA officinalis (Goat's Rue). July and August.	25	1 50	10 00
Blue. 2 ft	25	1 50	10 00
2 ft. GENTIANA Andrewsi (Closed Gentian). Septem-			10 00
ber. Blue. 2 ft	35	2 50	
tember. Red. 1½ ft	25	1 50	
Heldrechi. June. Orange. 18 in	25	2 00	15 00
montanum. June and July. Yellow. 18 in	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 2 & 00 \\ 2 & 00 \\ 2 & 00 \end{array}$	$\begin{array}{ccc} 15 & 00 \\ 15 & 00 \end{array}$
montanum. June and July. Yellow. 18 in GILLENIA trifoliata (Bowman's Root). Rose and white July 3 ft	35	2 50	
white. July. 3 ft. GYPSOPHILA paniculata (Baby's Breath). July.	25	1 50	12 50
White. 2 to 3 ft			
July to October. Yellow. 1½ ft autumnale, var. superbum. July to October.	25	1 50	10 00
Yellow. 4 ft	25	1 50	10 00
ber. Red. 4 ft	25	2 00	
her Urange 3 II	$\frac{25}{25}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15 00
Hoopesi. All summer. Orange-yellow. 2 ft	25	2 00	15 00

	ach	10	100
HELIANTHUS (Perennial Sunflowers) giganteus.	~~	64 F 0	
August to October, Pale yellow. 6 to 10 ft\$0 Maximiliana. September, Deep yellow, 6 to 8 ft. mollis. September and October. Golden yellow.	$\begin{array}{c} 25 \\ 25 \end{array}$	\$1 50 1 50	\$10 00 10 00
4 ft	25	1 50	10 00
yellow. 4 ft	25	1 50	10 00
ber, Deep yellow; quilled petals, 4 ft orgyalis. September and October. Golden	25	2 00	
	25 25	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	10 00 10 00
rigidus. July to October. Golden yellow. 3 ft. rigidus, var. Miss Mellish. September and Oc-	25	1 50	10 00
tober. Golden yellow. 6 ftrigidus, var. Wolly Dodd. September. Deep yellow. 3 ft.	25	1 50	10 00
HELIOPSIS Pitcheriana. June to October. Orange-	25	1 50	10 00
yellow. 3 ft. HELLEBORUS niger (Christmas Rose). March.			10 00
White. 6 in	35 35	$\frac{3}{3} \frac{00}{00}$	
HEMEROCALLIS Aurantiaca. June and July. Bright Indian yellow. 3 to 4 ft Dumortieri (Yellow Day Lily). June and July. Orange-yellow. 2 ft flava. June. Yellow. 2 ft fulva (Tawny Day Lily). July and August. A tawny yellow. 2½ ft fulva, var. Kwanso fl. pl. (Double Orange Lily). July and August. Conperty yellow. 2½ ft.	35	3 00	
July. Orange-yellow. 2 ft	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{c} 12 & 50 \\ 12 & 50 \end{array}$
fulva (Tawny Day Lily). July and August. A	25	1 50	12 50
	25	1 50	12 50
fulva, var. Thunbergii. August and September. Lemon-yellow. 2½ ft.	25	1 50	12 50
HEPATICA triloha (Liverleaf). April. White and blue. 6 in.	25	1 25	10 00
HEUCHERA sanguinea (Alumroot). June to September. Coral-red. 18 in	25	2 00	15 00
sanguinea, var. alba. June to September. White. 18 in.	25	2 00	
HIBISCUS militaris. June to September. Buff-vellow.	25	2 00	
18 in. Moscheutos (Mallow). July to September. Rose. 5 ft.	25	1 50	\$10 00
Moscheutos, var. Crimson Eye. July to September. White, 5 ft.	25	1 50	10 00
Moscheutos (Mallow Marvels). July to September. 5 to 6 ft.—			
White and pink	$\begin{array}{c} 35 \\ 50 \end{array}$	$\frac{3}{5} \frac{00}{00}$	20 00
HOLLYHOCKS. See Althæa rosea. IBERIS sempervirens (Candytuft). April and May.			10.00
White. 6 in	$\frac{25}{25}$	1 50 1 50	10 00 10 00
inula ensirona (Fleabane). June to August. 18 in.	35	3 00	19 (10)
oculis-Christi. Yellow. June to August. 2 ft. Light yellow. 2 ft.	35	3 00	40 55
INCARVILLEA Delavaji (Hardy Gloxinia). June to	25	1 50	12 50
July. Rosepink. 18 in	35	3 00	



A field of Japanese Iris at Andorra

E	ach	10	100
IRIS. For Special Descriptive Lists, consult Calen-			
dar of Hardy Perennials.			
atroviolacea. May. Dark violet. 2 to $2\frac{1}{2}$ ft. \$0	35	\$3 00	
cristata. April and May. Light blue. 6 in	25	1 50	\$12 50
Florentina. May. Tinted white. Fragrant. $1\frac{1}{2}$ ft.	25	2 00	
Germanica. May. Named varieties. $1\frac{1}{2}$ to $2\frac{1}{2}$ ft.	25	1 50	10 00
lævigata; syn., Kæmpferi (Japanese Iris). June			
and July. Our selection, all colors. $2\frac{1}{2}$ to 4 ft.	25	2 00	15 00
Customer's selection	35	3 00	
Pallida, var. Dalmatica. June. Light blue. 3 ft.	35	3 00	25 00
Pallida, var. speciosa. June. Indigo-blue.			
2 to 3 ft	35	3 00	25 00
Pseudacorus. June. Yellow. 2 to 3 ft	25	2 00	1 5 00
pumila, var. aurea. Yellow. May. 8 to 10 in.	25	1 50	12 50
pumila, var. cyanea. Royal purple. May.			
8 to 10 in	25	1 50	12 50
pumila, var. eburna. Cream. May. 8 to 10 in.	25	1 50	12 50
pumila, var. florida. White. May. 8 to 10 in.	25	1 50	12 50
Sibirica. May and June. Bright blue. $1\frac{1}{2}$ ft.	25	1 50	10 00
Sibirica, var. alba. June. White. 2 ft. Rare	35	3 00	25 00
Sibirica, var. orientalis. May. Deep blue. $1\frac{1}{2}$ ft.	25	1 50	10 00
tectorum. May. Bright lilac. 1 ft	25	2 00	15 00
KNIPHOFIA aloides (Red-hot Poker). August and			
September. Crimson. 3 ft	25	1 50	12 50
obelisque. July and August. Saffron-yellow.		1 00	
3 to 4 ft	35	2 50	15 00
Pfitzerii (Flame Flower). July to October.			
Orange-scarlet. 3 to 4 ft	35	2 50	15 00

FRICE LIST FOR SERING OF	1913		99
	Each	10	100
LATHYRUS latifolius var alhus (Hardy White			200
LATHYRUS latifolius, var. albus (Hardy White Pea). Summer. Climbing	25	\$2 00	
latifolius, var. roseus. Summer. Rose. Climbing.	25	2 00	
latifolius, var. splendens. Summer. Climbing	25	$\frac{1}{2}$ 00	\$15 00
latifolius, var. Pink Beauty. Summer. Bright		_ 00	4.20 00
pirk. Climbing	25	2 00	15 00
LAVENDULA spica (Lavender). 15 to 18 in	25	1 50	12 50
vera (Lavender). 15 to 18 in	$\overline{25}$	1 50	12 50
LIATRIS graminifolia (Blazing Star). August and		1 00	12 00
Contember Door number 2 ft	25	1 50	12 50
September, Rosy purple, 2 ft pycnostachya (Kansas Gay Feather). Septem-	20	1 90	12 30
ber. Rosy purple. 4 to 5 ft	25	1 50	12 50
snicata (Gay Foother) August and Sentem	20	1 00	12 00
spicata (Gay Feather). August and Septem ber. Deep purple. 3 to 4 ft	25	1 50	12 50
LILIUM Canadense (Meadow Lily), July, Shades of		2 00	
vollow 2 to 4 ft	25	1 50	12 50
yellow. 2 to 4 ft	20	1 00	12 50
Orange-scarlet. 2 to 4 ft	25	2 00	15 00
speciosum, var. roseum (Japan Lily). July and	20	2 00	10 00
August Rosy white 2 to 4 ft	25	2 00	15 00
August. Rosy white. 2 to 4 ft tigrinum (Tiger Lily). August. Salmon-red.		_ ~~	20 00
3 to 4 ft	25	1 50	12 50
IINIIM Austriagum (Austrian Flay) Jung to			
LINUM Austriacum (Austrian Flax). June to August. Bluish purple. 18 in	25	1 75	
perenne (Perennial Flax). June to September.	20	1 .0	
Clear blue. 18 in	25	1 75	
LOBELIA cardinalis (Cardinal Flower). August		1 .0	
and September Secret 2 to 2 ft	25	1 50	12 50
and September. Scarlet. 2 to 3 ftsyphilitica (Blue Lobelia). August and Sep-	20	1 90	14 50
tember. Deep blue. 2 ft	25	1 50	
LYCHNIS Chalcedonica (London Pride). July to	_0	1 00	
	25	1 50	12 50
September. Vermilion. 2 to 3 ft	20	1 90	12 30
Crimson 14 to 2 ft	25	1 25	10 00
Crimson. 1½ to 2 ft	20	1 20	10 00
$1\frac{1}{2}$ to 2 ft	25	1 25	10 00
Haageana. June and July. Orange-scarlet. 1½ ft.	$\widetilde{25}$	1 50	20 00
vespertina, var. alba plena (White Campion).		_ 00	
May to September, White, 1 ft	25	1 50	12 50
vespertina, var. alba plena (White Campion). May to September. White. 1 ft viscaria (Catchly), June and July. Red. 1 ft.	25	1 50	$\begin{array}{c} 12 & 50 \\ 12 & 50 \end{array}$
viscaria, var. spiendens. (German Catchny).			
June and July. Pink. 15 in	25	1 50	12 50
LYSIMACHIA clethroides (Loosestrife). July to			
September, White, 1½ ft	25	1 25	10 00
September. White, 1½ ft nummularia (Moneywort). June to August.			
Yellow. Creeping	25	1 50	10 00
LYTHRUM roseum superbum (Rose Loosestrife).			
July to September, Rose. 3 ft	25	1 50	12 50
MERTENSIA nulmonarioides (Virginia Cowslip).			
May and June. Blue. 2 ft	25	1 50	10 00
MONARDA didyma (Oswago Too) July and			
August. Scarlet. 23 ft. didyma, var. Cambridge Scarlet. July and	25	1 50	10 00
didyma, var. Cambridge Scarlet. July and			20 00
August. Scarlet. 2 ft	25	1 50	10 00
didyma, var. splendens. July and August.			
Crimson-scarlet. 2 ft	25	1 50	10 00

►	Each	10	100
MYOSOTIS alnestris, var. Victoria. May and June.			
Light blue. 6 to 9 in	\$0.25	\$1 50	\$10 00
Light blue. Spreading	25	1 50	10 00
Light blue. Spreading			10 00
May. Purple. 6 in	25	1 50	10 00
ENOTHERA fruticosa, var. major (Sundrops).	25	2 00	15 00
fruticosa, var. Youngi (Young's Primrose).		2 00	
June. Lemon. $1\frac{1}{2}$ to 2 ft	$\begin{array}{c} 25 \\ 25 \end{array}$	1 50	12 50
Frazeri. June. Rich yellow, 1½ ft	25	2 00	15 00
and July. Yellow. 1 ft	25	2 00	15 00
speciosa (white Frimrose). June and July.	0-	4 50	10.00
White. 1½ ft	25	1 50	10 00
OPHIOPOGON Jaburan, var. aureus variegatus (Snake's Beard). September. Blue. 6 in	50	3 50	
Japanese Spurge (Evergreen). May and June.			
White. 8 in	50	3 50	25 00
PACHYSANDRA terminalis (Japanese Spurge). Evergreen. May and June. White 8 in	50	3 50	25 00
PÆONIA. See our Calendar of Hardy Perennials	50	9 00	20 00
for Special List.			
Chinensis, Double Varieties. Our selection. May	n=	9.00	0° 00
and June	35 1 50	$\begin{array}{c} 3 & 00 \\ 12 & 50 \end{array}$	25 00
Chinensis, Heavy Clumps. Our selection Chinensis, Single Varieties. Our selection	35	3 00	25 00
Chinensis, Single Varieties, Heavy Clumps. Our			
selection		12 50	05 00
corallina. May. Single. Reddish purple	35	3 00	25 00
Moutan (Tree Peony). May and June. Different colors	1 00	9 00	
ferent colors officinalis, var. rubra plena. Early April.		4.00	0° 00
Double; deep crimson	50	4 00	35 00
Double; pink	1 00	9 00	
Double; pink. tenuifolia. Early April. Single; deep maroon. tenuifolia, var. plena. Early April. Double;	50	4 00	
maroon Early April. Double;	50	4 00	
triternata. April. Single, Bright red	35	3 00	25 00
maroon triternata. April. Single. Bright red PAPAVER bracteatum. June. Blood-red. 4 ft nudicaule (Iceland Poppy). All summer. Many	25	2 00	12 50
nudicaule (Iceland Poppy). All summer. Many	25	1 50	10 00
colors. 1 ft		2 00	40 50
let. Z ff.	25	2 00	12 50
PENTSTEMON barbatus van Torrevi (Torrev's			
PARDANTHUS. See Belemeanda. PENTSTEMON barbatus, var. Torreyi Beard Tongue). June to August. Scarlet.			
3 to 4 ft	25	1 50	10 00
diffusus. May to July. Blue. 1 ft	25	2 00	15 00
grandiflorus. June to August. Purplish blue.	25	2 00	15 00
2 to $2\frac{1}{2}$ ft	20	2 00	10 00
White. 3 ft	25	2 00	
ovatus. July and August. Purplish blue.	25	2 00	
2 to 3 ft	25	2 00	

I	Each	10	100
PHLOX amoena. May. Bright pink. 3 to 4 in\$0	25	\$1 50	\$10 00
Carolina. May and June. Rosy red. 1 ft divaricata (Wild Sweet William). May and	25	1 50	
divaricata (Wild Sweet William). May and	25	1 50	12.50
lung Lavender. I II	25	1 50	12 30
paniculata; syn., decussata (Perennial Phlox). See the Calendar of Hardy Perennials for			
Special List. All colors	25	2 00	15 00
subulata (Mountain Pink). May and June.			
Poss Crooning	25	1 50	10 00
subulata, var. alba. May and June. White.	0-	1 50	10.00
Creeping	25	1 50	10 00
subulata, var. atropurpurea. May and June.	25	1 50	
Purple. Creeping	$\frac{25}{25}$	1 50	12 50
subulata, var. Nelsoni. May and June. Pure			
white. Creeping	25	1 50	10 00
white. Creeping	0~	4 50	10.00
white. Creeping	25	1 50	10 00
PHYSOSTEGIA Virginiana (False Dragonhead).	0=	4 50	
August. Deep rose, 3 ft	$\frac{25}{25}$	1 50 1 50	10.00
Virginiana, var. alba. August. White. 5 It	$\frac{25}{25}$	1 50	10 00
Virginiana, var. speciosa. August. Pink. 3 ft. PLATYCODON grandiflorum (Balloon-flower). July.	20	1 50	10 00
Blue. 1½ ft	25	1 50	
grandiflorum, var. album. July. White. $1\frac{1}{2}$ ft.	$\frac{25}{25}$	1 50	
POLEMONIUM cœruleum (Jacob's Ladder). May to			
July Deep blue, 15 ft.	25	2 00	15 00
cæruleum, var. album. May to July, White.		- 00	10 00
cæruleum, var. album. May to July. White.	25	2 00	
PRIMULA acaulis (Primrose), May. Yellow.			
6 to 9 in	25	1 50	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
capitata (Primrose). Deep lilac, 9 in suaveolens (Cowslip). May. Yellow and	25	1 50	12 50
Orongo 1 ft	25	1 50	12 50
veris (Polyanthus). May. Yellow and orange- crimson. 6 to 9 in vulgaris (English Primrose). May. Yellow.	20	1 90	12 90
crimson, 6 to 9 in	25	1 50	12 50
vulgaris (English Primrose). May. Yellow.			
6 to 9 m	25	1 50	12 50
PYRETHRUM roseum (Feverfew). June and July.	-		40.00
White, pink and red. 1½ to 2 ft	$\frac{25}{35}$	$\frac{1}{3} \frac{50}{00}$	10 00
roseum fl. pl. Named varieties. 1½ to 2 ft	99	5 00	
RANUNCULUS aconitifolius fl. pl. (Crow's-foot). June. White. 1½ to 2 ft	25	1 50	
acris fl nl (Vellow Rachelor's Ruttons)	20	1 90	
acris fl. pl. (Yellow Bachelor's Buttons). June. Yellow. 2 ft repens (Double Buttercup). May to July. Yellow. 1 ft.	25	1 50	
repens (Double Buttercup). May to July.			
ACHOW. A Iterrores and a construction of the c	25	1 50	10 00
ROSMARINUS officinalis (Rosemary). Scented			
foliage	25	1 50	
RUDBECKIA laciniata, var. Golden Glow. July to			
September. Yellow. 8 ft	$\frac{25}{25}$	1 25	10 00
Newmani. August and September. Yellow. 1½ ft.	25	1 50	10 00
nitida (Cone-flower). August and September. Pale yellow. 5 ft	25	1 50	10 00
triloba (Yellow, black cone). August and Sep-	-	2 00	20 00
tember. 3 ft	25	1 50	10 00

	Each	10	100
SALVIA argentea. June. White, white foliage. 2 ft \$Caucasicum. July and August. Reddish purple.		\$1 50	\$10 00
3 ft	25	1 50	10 00
Deep blue. 2 to 3 ft	25	1 50	10 00
April. 6 in	25	1 50	10 00
SANTOLINA incana (Lavender Cotton). July. Deep yellow. 1 ft	25	1 50	10 00
SAXIFRAGA cordifolia (Rockfoil). April to June. Rosy purple. 15 in	25	2 00	15 06
SCABIOSA Caucasica (Mourning Bride). Lavender-blue. June. 15 to 18 in	35	2 50	15 00
SEDUM acre (Golden Moss). May and June Yellow. Spreading	25	1 25	10 00
album. July. White. 4 to 6 in	25	1 25	10 00
Rhodiola. August. Light pink. 1 ft sexangulare (Stonecrop). June and July. Yel-	25	1 25	10 00
low, 6 in. Sieboldi. August and September. Pink. 6 to	25	1 25	10 00
8 in	25	1 25	10 00
and October. Rose. 12 to 15 in	25	2 00	15 00
spectabile, var. atropurpurea. September and October. Purplish crimson. 15 in	25	2 00	15 00
telephoides. July and August. Pink. 1 ft	25	$\frac{1}{2} 00$	15 00
SENECIO clivorum. Summer. Yellow. 3 ft pulcher (Groundsel). July to October. Rosy	35	2 50	15 00
purple. 1½ to 2 ft	25	1 50	
May, Rose or white. 9 in	25	1 25	10 00
April. White. $1\frac{1}{2}$ ft	25	1 50	
SPIRÆA (Goat's Beard, or Meadowsweet) aruncus. June and July. White. 4 to 5 ft	35	2 50	15 00
filipendula fl. pl. June and July. White. 2 ft.	25	1 50	12 50
palmata. July. Pink. 3 to 4 ft	$\begin{array}{c} 25 \\ 25 \\ 25 \end{array}$	$\begin{array}{c} 2 & 50 \\ 1 & 50 \\ 2 & 00 \\ 2 & 00 \end{array}$	15 00 15 00
paimata, var. elegans. June and July. White;	25	2 00	
crimson anthers. 3 ft	25 25	2 00	
grant. 3 ft. STACHYS Betonica; syn., Betonica rosea. July and August. Rose. 1 ft. lanata. June and July. Purple. 12 in. STATICE Tatarica (Sea Lavender). June to August.	25	2 00	
August. Rose. 1 ft.	$\frac{25}{25}$	1 50 1 50	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
STATICE Tatarica (Sea Lavender). June to August.	25 25	1 50	10 00
Red. 15 to 18 in			
STOKESIA cyanea (Stokes' Aster). July to Octo-	25	1 50	10 00
August. Deep blue. 2 ft. STOKESIA cyanea (Stokes' Aster). July to October. Lavender. 1½ ft. cyanea, var. alba. July to October. White.	25	2 00	15 00
1½ ft	50	3 50	

TANACETUM globiferum (Tansy), August. Golden E	ach	10	100
yellow. 3 ft	25	\$1 50	\$10 00
Yellow. 18 in	25	i 50	10 00
White. 2 to 4 ft	25	1 50	
White. 2 to 4 ft	25	1 50	
purpurascens. June to August. Turple. 5 to			
4 ft. THERMOPSIS Caroliniana. June. Yellow. 3 to	25	1 50	
4 ft	25	1 50	
mollis. May to July. Yellow, 2 to 3 ft	$\frac{25}{25}$	$\hat{1} = \hat{50}$	
4 ft. mollis. May to July. Yellow. 2 to 3 ft THYMUS montanus, var. coccineus (Scarlet Thyme).			
May. Bright red. 4 in	25	1 50	
vulgaris (Common Thyme). May. Lilac. 1 to	25	1 25	
TRADESCANTIA Virginiana (Spiderwort). June to		1 2.7	
October. Purple. 2 ft	25	1 50	12 50
Virginiana, var. alba. June and July. White.	0-	1 50	10 50
2 ft. TRILLIUM erectum (Wake Robin). March and	25	1 50	12 50
April. Purple. 9 to 12 in	25	1 50	
grandiflorum (Wood Lily). March and April.			
White. 9 to 12 in	25	1 50	
TRULLIUS Europæus (Globe-flower). May to August.	25	1 50	12 50
Yellow. 2 ft. Japonicus "Excelsior." May to August. Deep	20	1 90	12 50
orange 15 to 2 tt	35	2 50	
VALERIANA coccinea (Valerian) June to October.	~~		40.00
Reddish, 2 ft	25	1 50	10 00
Rose-pink. 2 ft	25	1 50	10.00
Rose-pink. 2 ft	$\overline{25}$	1 50	10 00
VERBASCUM DIVMPICUM (Mullein). July to Sep-	~~		
tember. Yellow. 6 ft	25	1 50	12 50
ber Red 5 ft	25	2 00	
Baldwini. August to October. Purple. 4 ft	$\overline{25}$	2 00	
ber. Red. 5 ft	٥-	4 -0	
to October. Rose. 1½ ft	25	1 50	
to October. Rose. 1½ ft	25	2 00	15 00
rupestris (Rock Speedwell). June and July.			
Blue Spreading	25	1 50	10 00
spicata. June to September. Bright blue.	25	1 50	10 00
1½ ft	$\frac{25}{25}$	1 50	10 00
1½ ft. Virginica. August to September. White. 4 ft. VINCA minor (Periwinkle). May. Bright blue.			
Spreading	25	1 50	10 00
VIOLA pedata, var. bicolor (Bird's-foot Violet).	25	1.50	12 50
May. Purple and White. 4 in	20	1 ,,,,	12 50
	25	1 25	
Purple. 10 in. Cornuta, var. Lutea splendens. Rich yellow.	95	1 95	
May to October. 10 in	25	1 25	
October, 10 in.	25	1 25	
October. 10 in	-	4 05	
May to October. 10 in	25	1 25	

FERNS

ADIANTUM pedatum (Maidenhair Fern). 1 to 2 ft. Moist, shaded positions. ASPIDIUM acrostichoides (Christmas Fern). 1 to 2 ft. Evergreen. Dry or moist soils in shady places.

Felix-mas (Male Fern). 2 ft. Semi-shaded positions, dry or moist soils. Goldianum. 2 to 4 ft. Semi-shaded positions, dry or moist soils. Magniale. Evergreen. 1 to 2 ft. Shaded positions, dry or moist soils.

ASPLENIUM Filix-fæmina (Lady Fern). 2 to 3 ft. Open or shaded positions, in moist or dry soils.

BOTRYCHIUM Virginianum (Moonwort). 6 to 12 in. Shaded positions, moist or dry soils.

BOTRYCHIUM Virginianum (Moonwort). 2 to 3 ft. For open positions; forms large plantations.

ONOCLEA sensibilis (Sensitive Fern). 1 to 2 ft. For open planting and wet soils.

Struthiopteris (Ostrich Fern). 2 to 4 ft. For open positions, dry or moist soils.

Claytoniana. 2 to 5 ft. For open plantings. dry or moist soils.

Claytoniana. 2 to 5 ft. For open plantings. dry or moist soils.

cinnamomea (Cinnamon Fern). 2 to 5 ft. For open or shaded positions, in wet soils.

WOODSIA obtusa. 6 to 12 in. Shady places, in moist soil.

WOODWARDIA angustifolia (Chain Fern). 1 ft. Open or shaded positions, in moist soils.

The above varieties, 25 cts, each. \$2 per 10, \$15 per 100.

HEDGE PLANTS

The above collection, 15 varieties, \$3. 100 in 5 varieties, our selection, \$12.50.

We shall be pleased to name special prices for plants in quantity for hedging purposes.

EVERGREI	EN IREES	
SEE PAGE		
Biota orientalis 4 Picea excelsa	occidentalis Wareana Tsuga Canadensis	 14
Retinospora plumosa aurea 11		
DECIDIO.		

Retinospora plumosa aurea ... 11 DECIDUOUS TREES Carpinus Americana ... 24 Cratægus Oxyacantha ... 26 Betulus ... 24 Fagus sylvatica ... 26 Cratægus Crus-galli ... 26 EVERGREEN SHRUBS Azalea amœna ... 15 Ilex crenata microphylla ... 17 Buxus sempervirens ... 15 Mahonia aquifolia ... 17 sempervirens suffruticosa ... 16 Japonica ... 17 DECIDUOUS SHRUBS Acanthopanax spinosa ... 33 Hipponhae rhamnoides ... 40 Rerheris Thumbergi and vulgaris ... 35 Ligustrum Ibota Regelianum

Acanthopanax spinosa 33	Hippophae rhamnoides 40
Berberis Thunbergi and vulgaris. 35	
Elæagnus longipes 39	
Forsythia viridissima 39	Lonicera Tatarica 42
Hibiscus Syriacus 39	Rhamnus cathartica 48

PAGE

DEPARTMENTS

PAGE | Wind and Climbing Plant

Fertilizers	2		limbing Plants47
General Instructions and Terms 3 Fruit and Small Fruits49, 50			
Evergreen Trees 4 Roses			Dlants 51
Deciduous Trees	21		
Deciduous Shrubs	35		s
Reeds and Grasses			64
	TAID	EV	
	IND	LA	
PAGE)		PAGE	PAGE
Aaron's Beard40	Baby's Breat		Cedar
Abelia55	Baccharis		Cedrela24
Abies	Bambusa		Cedrus 5
Acanthopanax35	Baptisia		Celastrus48
Acer	Barberry		Celtis
Achillea	Beard Tongu		Cephalanthus36
Aconitum51	Bear's Breec	h 51	Cephalotaxus 5
Actinidia	Beauty-fruit		Cerastium54
Adiantum	Beech		Cerasus25
Adonis 51	Belemcanda		Ceratostigma54
Adonis	Bell-flower .		Cercidiphyllum25
Ailanthus23	Bellis		Cercis25, 36
Ajuga	Benzoin		Chamædaphne16
Akebia47	Berberis		Chamomile52
Allenica or Sweet	Betonica. Se Betula	e Stachys.	Chaste Tree47 Chelone54
Alder	Bignonia		Cherries49
Ainus	Balloon-flowe	r60	Cherry 25
Althæa (see, also, Hibiscus)35, 51	Biota		Chestnut24, 49 Chinese Angelica Tree.24
biscus)35, 51	Birch	24	Chinese Angelica Tree. 24
Alum Root57 Alyssum52	Bittersweet Black Alder		Chinese Arborvice 5 Chinese Cork Tree29
Amelanchier23, 35	Biackberries		Chionanthus36
Amorpha35	Black Haw	47	Chokeberry43
Ampelonsis	Black Walnu	it27	Christmas Rose57
Amygdalus. See Prunus. Anchusa52	Bladder Senn		Chrysanthemum55
Anchusa	Blanket-Flow		Chrysogonum55 Chrysopis55
Andromeda (see, also, Oxydendrum)15. 24 Anemone51, 52	Blazing Star Bleeding He	art 55	Cimicifuge 55
Anemone	Blue Spirea	35	Cimicifuga55 Cineraria. See Arte-
Anthemis 52	Bocconia		misia.
Apples	Boltonia	54	Cinquefoil42
Aquilegia52 & 53	Botrychium	64	Cladrastris25
Arabis	Box Bridal Wreat	10-16	Clematis48 & 55 Clethra36
Aralia	Broussonetia		Columbine53 & 63
Arenaria53	Buckthorn		Colutea
Aristolochia47	Butterfly We	ed53	Comptonia
Armeria53	Buttonwood	30	Cone-flower 56 & 61
Aronia. See Pyrus. Arrow-wood46	Buxus Calimeris	15-16	Conoclinium55
Artemesia53	Callicarpa	35	Convallaria55 Coral Berry44
Arundo47	Callirhoe		Corchorus36
- Asclepias	Calveanthus	35	Coreopsis55
Ash	Campanula .	54	Coreopsis55 Cornus25, 36, 37 Coronilla55
Asparagus50	Candytuft		Coronilla55
Aspidium	Caragana Cardinal-flow	or 50	Corylus37
Aster53	Carpinus	24	Cotoneaster16, 37 Crab Apples30
Astilbe53	Carya	24	Cranberry Bush46 Cratægus17, 25, 26 Cryptomeria5
Astrantia54	Castanea	24	Cratægus17, 25, 26
Aubretia	Catalpa	24	Cryptomeria 5
Azarea	Ceanothus		Cucumber Tree28

PAGE	PAGE	PAG
Cupressus12	Geum	Juniperus5-6- Kalmia1 Kentucky Coffee Tree. 2 Kerria. See Corchorus. 4
Current	Gillenia56	Kalmia1
Cydonia37	1 Ginkon 32	Kentucky Coffee Tree. 2
Cypress9, 12, 32	Gleditschia27	Kerria. See Corchorus.4
Cydonia 37 Cypress 9, 12, 32 Cytisu 26, 37	Globe-flower36	Kniphona
Daisy .53 Day Lily .56 & 57 Daphne .17 Deciduous Shrubs .35	Gleditschia 27 Globe-flower 36 Goat's Beard 61	Kœlreuteria2 Kudzu Vine4
Day Lily 56 & 57	Gold-flower40	Kudzu Vine4
Daphne	Golden Bell39	Larch2
Deciduous Shrubs35	Golden Bell39 Golden Chain26	Larix2
	Golden Tuft52 Glyptostrobus See Tax-	Larkspur
Delphinium 55	Glyptostrobus See Tax-	Lathyrus 48 & 5
Delphinium	odium.	Laurel1
Desmodium, See Les-	Gooseberries49	Lavandula5
pedeza	Grapes	Lavender
Deutzia37, 38	Groundsel Shrub35, 61	Lavender-cotton6
Dianthus	Guelder Rose46	Lespedeza4
Dicentra55	Gymnocladus27	Leucothæ1
Dicksonia 64 Dictamnus 55 Diervilla 38	Gypsophila56	Liatris
Dictamnus	Halesia	Ligustrum40-4
Digitalia	Hamamelis39	Lilium 5
Digitalis55	Hardy Roses50-51 Hawthorn26	Lily of the valler
Dogwood 95 96 97	Hawthorn26	Lindon 29 2
Diospyros 26 Dogwood 25, 36-37 Dolichos. See Pueraria.	Hazel37-39	Lilium .5 Lily-of-the-valley5 Linden32-3 Linum5
Doronicum56	Hedera48 Hedge Plants63	Liquidambar2
Dutchman's Pipe47	Hedge Plants63	Liriodendron28
Echinacea	Helenium .56 Helianthus .57 Heliopsis .57	Liver Leaf5
Elæagnus39	Hellanthus57	T obolin
Elder43	Hellopsis	Locust 97 3
Elm33	Helleborus57	London Pride
Elymus 47	Hemerocallis or Day Lily57	Locust
English Primrose 60	Lilly	Loosestrife
Elymus 47 English Primrose 60 English Ivy 48 Epimedium 56	Hemlock	Lychnis
Enimedium	Hepatica57	Lycium4
Erianthus47	Herbaceous Plants. 51-62	Lysimachia
Erigeron	Hibiscus39, 40, 57	Lythrum59
Eryngium56	High Cranberry Bush. 46 Hippophae 40 Holly 17 Hollyhocks (see, also, Althæa 51	Maclura28
Esculant Roots 50	Holly 17	Magnalia
Eulalia47	Hollyhooks (see also	Mahonia17
Euonymus17, 39, 48	Althon	Maidenhair Tree32
Eulalia	Honey Locust27	Mahonia 11 Maidenhair Tree 3 Maple 21-22 Matrimony Vine 4 Meadow Rue 6 Meadow Sweet 6 Meaters 6
Euphorbia55		Matrimony Vine42
Evening Primrose 59	Honeysuckle41, 48 Hop Tree30	Meadow Rue68
Evergreen Shrubs15-20	Hornhoam 94	Meadow Sweet62
Evergreen Thorn17	Hornbeam24 Horse-Chestnut23	Merteusia
Evergreen Trees4-15	Hydrangea 40	Mint-flower
Everlasting Pea48	Hydrangea	Mist. or Smoke Tree. 43
Exochorda39	Theris	Mock Orange42
Fagus	Ilex 5 17 40	Monorwort 50
Ferns	Incarvilles 57	Monarda
Festuca	Inula 57	Morus29
Fir 4	Tris 58	Manustain tak
Flame-flower58	Iris	Mourtaing Sride 62
Flowering Almond 42	Itea40	Mulherry 94 90
Flowering Almond43 Flowering Crab30	Jacob's Ladder61	Myosotis 60
Forget-me-not60	Jacob's Ladder01	Myrica 49
Forsythia39	Japan, or Boston Ivy.27 Japan Cypress 9 Japan Judas 36	Negundo See Acer Ne-
Foxgloves55	Japan Tudag	
Fox Grape48	Japan Quince37	Nepeta
Fraxinus27	Japanese Maples23	Nettle Tree25
Fruit	Japanese Snowball46	Nettle Tree
Funkia	Jasmine40	Nyassa
Gaillardia56	Jasminum	Oak30-31
Galega56	Jersey Tea36	Enothera60
Gas Plant55	Judas Tree25	Old Man 53
Gentiana	Juglans25	Old Woman53
Geranium56	Juneberry23	Oleaster39
	June 11	Onoclea64

PAGE	PAGE [PAGE
Ophiopo'gon60	Rhus31-32, 43	Sweet Shrub35
Oriental Plane30	Ribbon Grass41	Sweetbriar50
Oriental Poppy60 Osage Orange28 Osmanthus17	Ribes43	Sycamore30
Osage Orange28	Robinia32, 43	Symphoricarpus45
Osmanthus	Rock Cress53 Rockfoil62	Syringa
Osmunda	Rose Acacia43	Tamarix46
Oswego Tea, or Fragrant Balm59	Rose Campion59	Taxodium32
Oxydendrum29	Rosemary61	Taxodium32 Taxus11-12 Tecoma. See Bignonia.
Pæonia	Rose Campion 59 Rosemary 61 Rose of Sharon 39, 40	Tecoma. See Bignonia.
Pachysandra60	Roses	Thalictrum .63 Thermopsis .63 Thorn .25-26
Papaver	Rosmarinus61 Rosy Milfoil51	Thorn 25-26
emcanda.	Rubus	Thorn Evororeon 17
Parrotia 99	Rudbeckia61	Therift
Paulownia 20 Pavia. See Æsculus. Peaches 49	Rugosa Roses51	Thuya
Pavia. See Æsculus.	Salisburia32	Thujopsis12
Pearl Bush39	Salix	Thymus
Pears	Sambucus	Tiger Lily 59
Penstemon60	Sandwort53	Tiger Lily
Periploca48	Sanguinaria	Tradescantia63
Periwinkle63	Santolina62	Tree of Heaven23
Persian Iron Tree29 Persica29	Sassafrass32	Trillium63
Persica29	Saxifraga	Trollius63
Persimmon26 Phalaris47	Scabiosa	Trumpet Vine 47 Tsuga 14 Tulip Tree 28
Phellodendron 90	Sciadopitys11	Tulip Tree28
Philadelphus42	Sea Buckthorn 40	Ulmus
Philadelphus	Sea Holly 56 Sea Lavender 62 Senecio 62	Umbrella Tree28
Philox 61	Sea Lavender62	Uniola47
Physostegia61	Sedum	Vaccinium46 Valeriana63
Picea	Sheepsberry46	Valerian63
Pinus	Shrub Yellow Root47	Varnish Tree27
Platanus	Shrubby Cinquefoil42	Vorboseum 62
Platycodon 61 Plumbago 54 Plums 49	Silene	Vernonia63
Plumbago54	Silk Vine48	Veronica
Podocarpus 9	Small Fruits49 Smilacina62	Vince 63
Polemonium 61	Snakeroot55	Vernonia 63 Veronica 63 Viburnum 46-47 Vinca 63 Vines and Climbing
Populus	Snowball46	Plants
Poppy53, 60	Snowberry44	Viola
Potentilla 42	Sophora32	Virgilia
Primrose60, 61	Sorbus32	Virginia Creeper47
Privet 40.41	Speedwell 63 Spice Bush	Vitis 48
Prunus. See, also.	Spiderwort 63	Vitis
Privet	Spindle Tree 39 Spiræa 44, 53, 62 Spruce 7, 8, 9	
Pseudotsuga 9 Ptelea 30	Spiræa44, 53, 62	Wayfaring Tree46 Weigela38
Ptelea30	Stachys	White Fringe38
Pterostyrax30 Pueraria48	Stachys	White Rod46
Purple Mist 42	Statice	Wolf's-bane
Purple Mist 43 Pyrethrum 61 Pyrus 30, 43	Stephanandra44 Stokesia64	Willow32
Pyrus30, 43	Stokesia	Windflower
Quercus30, 31	Stokes' Aster62 Stonecrop62	Winola47
Quinces	Strawberries 50	Winter Berry40 Wistaria48
Ranunculus61	Strawberry Bush39	Witch Hazel39
Raspberries	Styrax	Woodsia64
Reeds and Grasses47	Strawberries .50 Strawberry Bush .39 Styrax .44 Sumac .31-32, 43	Woodwardia64
Retinospora9-11	Sunflower	Xanthoceras47 Xanthorrhiza47
Rhamnus43	Swamp Huckleberry46 Sweet Fern36	Xanthorrhiza47
Rhododendron18-20	Sweet Gum	Vellow Wood 25
Rhodotynus43	Sweet Gum 28 Sweet William 55, 61	Yarrow
Rhubarb50	Sweet Pepper Bush36	Yucca

Our Catalogs

THE ANDORRA HANDBOOK. Planters who desire a complete descriptive list will be supplied with our Handbook of Trees and Plants for 50 cents, which will be credited upon their first purchase amounting to \$5.

ANDORRA'S HANDBOOK will serve as a standard guide, being up-to-date in nomenclature, and containing conservative descriptions of a vast list of trees and plants, with hints of planting, pruning and caring for them. It is illustrated and fully indexed.

PRICE LISTS are issued semi-annually. Owing to our large output, and the changes in sizes of stock by reason of each season's growth, frequent revisions of the PRICE-LIST are necessary, to keep customers thoroughly posted on the stock we offer. You are always sure your order will be filled if you find the items in the CURRENT SEASON'S PRICE-LIST.

PLANTING INSTRUCTIONS. This booklet does not aim to cover every point that may arise, but it gives the principles in such a way that any one, by following its directions, can secure the best results.

A CALENDAR OF HARDY PERENNIALS, BOOKLET No. 33-26, with special lists of Iris, Phlox, Peonies and Chrysanthemums. This little booklet gives a complete list of Perennials, and shows in tabulated form their height, color, and months of bloom; invaluable to those planning herbaceous gardens.

OUR STANDARD FOR MEASURING TREES AND SHRUBS

All trees and shrubs are measured as they stand in the Nursery before digging. In evergreen trees and in evergreen and deciduous shrubs the height is taken from the ground to the top of the plant.

Deciduous trees are measured from the ground to the top of the head, and the caliper or diameter of the trunk is taken above the collar. Measurements are expressed thus: 10 to 12 ft. (height), $2\frac{1}{2}$ to $2\frac{3}{4}$ in. (caliper).